



INDUSTRIAL LITERATURE LIST/BIBLIOGRAPHY

Articles by Topic

General
Accuracy
Aerospace
Agricultural
Animal Gait Analysis
Automotive General
Biting/Food Texture
Brake
Calibration
Catalytic Converter
Civil Engineering
Ergonomics
Fuel Cell
Gasket/Sealing
Grip
Impact/Crash Testing
Joint Research
Materials
Miscellaneous
Nip/Pinch
Palpation
Polishing
Pressure Garments
Printing
Railway
Seating/Bedding
Stamping
Tires
Wiper

| Topic | No. | Fivers / Papers / Articles |
|-----------------------------|------------|--|
| Tekscan General | 103 | Iverson, W. : "Tactile Sensing, 1990s Style" Assembly Magazine, February-March, 1993. |
| | 115 | Hoffmann, K., Egger, M.: (Technische Universität Wien) "Vergleichende Untersuchung von Methoden zur Messung von Flächenpressungen" (A Comparative Study on Measuring Methods of Contact Stresses) VDI Berichte Nr. 1463, 1999 pp 145-158. |
| | 148 | Hunston, M. "Force Contact: Force Versus Contact Pressure Measurement", Testing Technology International, May 2003. |
| | 159 | Malacaria, C. : "A Thin, Flexible, Matrix-Based Pressure Sensor" Sensors Magazine, September 1998 pp.102-104 |
| | 160 | Papakostas, T., Lima, J., Lowe, M.: "A Large Area Force Sensor for Smart Skin Applications" |
| | 161 | Kawasaki, H. (Gifu University) "Fusion of Virtual Technology and Robotics" Vol. 19, No.2, pp.169-174, 2001. |
| | 162 | Hunston, M. "Innovative Thin-film Pressure Mapping Sensors" Sensor Review, Vol. 22, No. 4, pp.319-321, 2002. |
| | 163 | Lowe, M., et al.: "Flexible Force Sensors in Touch with Modern Technology" Sensors Magazine, Vol 21., No. 6, pp 40-41. |
| Accuracy | 1016 | Bachus, K.N., DeMarco, A.L., Judd, K.T., Horwitz, D.S., Brodke, D.S. "Measuring contact area, force, and pressure for bioengineering applications: Using the Fuji Film and Tekscan systems" Medical Engineering & Physics 28 (2006); pp.483-488 |
| Aerospace | 1030 | Ansari, Rafat, R.; Jones, Jeffrey, A.; Pollonini, Luca; Rodriguez, Mikael; Opperman, Roedolph; Hochstein, Jason; "A Noninvasive Miniaturized-Wireless Laser-Doppler Fiber-Optic Sensor for Understanding Distal Fingertip Injuries in Astronauts," NASA/TM-2009-215679, December, 2009. |
| | 1037 | Schaffner, G., Kozlovskaya, I., Hagan, D., "Biomechanical Evaluation of Russian BD-1 Treadmill during Non-Motorized Treadmill Locomotion in a Weightless Environment (KC-135)," September 9, 2004. |
| Agricultural | 131 | Herold, B., Geyer, M., Studman, C. (Institut für Agrartechnik Bornim), "Fruit Contact Pressure Distributions- Equipment", Computers and Electronics in Agriculture 32 (2001) pp. 167-179. |
| Animal Gait Analysis | 800 | Nilsson, C., Johansson, K-H., Venorp, M. (Department of Agricultural Biosystems and Technology, Swedish University of Agricultural Sciences) "Measurements of the Contact Pressure Between the Cow Hoof and a Slatted Concrete Floor" |
| | 801 | Johansson, K-H., (Department of Agricultural Biosystems and Technology, Swedish University of Agricultural Sciences) "Tryckfördelning under notkreaturs klovar på betongspaltgolv - inverkan av stavbredd och spaltvidd" (Pressure distribution on bovine claws in relation to width of slats and slots in draining concrete floors) |
| | 802 | Barber, D., Arnold, W., Song, Y., Felt, J., Martin, T. (Advanced Bio-Surfaces, Inc., Minnetonka, MN) "Gait Analysis for Assessment of Loading in the Ovine Model: Test Method Development" |
| | 803 | Franks, J.N., H.W.Boothe, et al. (2000) "Evaluation of Transdermal Fentanyl Patches for Analgesia in Cats Undergoing Onychectomy" JAVMA 2000, 217, 7; pp 1013-1018 |
| | 804 | Judy, C., Galuppo, L., Snyder, J., Willits, N., "Evaluation of an In-shoe Pressure Measurement System in Horses" AJVR, Vol 62, No. 1, January 2001; pp 23-28 |
| | 805 | von Lewinski, G., Hurschler, C., Allmann, C., Wirth, C.J., "Effect of Pre-Tensioning of Meniscal Transplants on the Tibiofemoral Contact Area" Paper No: 1233, 50th Annual Meeting of the Orthopaedic Research Society |
| | 806 | Carvalho, V.R.C., Bucklin, R.A., Shearer, J.K., Shearer, L. "Effects of Trimming on Dairy Cattle Hoof Weight Bearing and Pressure Distributions During the Stance Phase" American Society of Agricultural Engineers, Vol 48, June 2005; pp 1653-1659 |
| Automotive General | 120 | Soltz, K.(Tekscan): "The Many Uses Of Tactile-Force Sensor Arrays In Automotive Applications" MIRA New Technology 2000, pp 93-97 |
| Biting/ Food Texture | 109 | Kohyama, K., Sakai, T. "Intraoral Pressure Measurement during Mastication of Kelp" Food Science Technology Res., 7(1), 17-21, 2001 |
| | 110 | Kohyama, K., Sakai, T., Azuma, T., Mizuguchi, T., Kimura, I., "Pressure Distribution Measurement in Biting Surimi Gels with Molars Using a Multiple-point Sheet Sensor", Bioscience, Biotechnology, Biochemistry, 65 (12), 2597-2603, 2001 |
| | 113 | Kohyama, K., Nishi, M., Suzuki, T.: "Measuring Texture of Crackers with a Multiple-point Sheet Sensor" Journal of Food Science 62(5), 1997, pp.922-925. |
| | 114 | Wakumoto, M., Masaki, S., Honda, K., & Ohue, T.: "A Pressure Sensitive Palatography: Application of New Pressure Sensitive Sheet For Measuring Tongue-Palatal Contact Pressure" ATR Human Information Processing Research Labs, Japan, R&D Nitta Co. Ltd. Japan |
| | 122 | Azuma, T.(RETS Division, Sensor Section, Nitta Corporation): "Development Of Sensor System For Measurement Of Food Texture With A Multi-Cell Pressure Sensor" National Project For Development of Biosensor Systems For Food Industry, Society For Techno-Innovation of Agriculture, Forestry & Fisheries pp 19-20 |
| | 123 | Kohyama, K., Sakai, T., Azuma, T., "Patterns Observed in the First Chew of Foods with Various Textures" Food Science Technology, Res., 7 (4), 290-296, 2001. |
| | 124 | Azuma, T.(RETS Division, Sensor Section, Nitta Corporation): "On the Study of Possibilities of the Pressure Distribution Measurement System that is applied to Food Texture Characterization" |
| | 125 | Kohyama, K., Nishi, M.: "Direct Measurement of Biting Pressures for Crackers Using a Multiple-Point Sheet Sensor" Journal of Texture Studies 28 (1997) 605-617. |
| | 137 | Azuma, T. (RETS Divisio, Sensor Section, Nitta Corporation): "Development of High-Speed Pressure Distribution Measurement System and Its Application to Food Texture Characterization", Sensors and Materials, Vol.13, No.2(2001)107-117, MYU Tokyo |
| | 157 | Dan, H., Azuma, T., Kohyama, K.,(Nitta Corporation) "Distinction of Cucumber Cultivars by Direct Measurement of Mastication Force using a Multiple Point Sensor" National Food Research Institute. |
| | 158 | Dan, H., Kohyama, K.,(Nitta Corporation) "Effect of Sample Thickness on the Bite Force for Apples" Journal of Texture Studies 34 (2003) 287-302. |
| | 1023 | Hori, K., Ono, T., Ken-ichi, T., Kondo, J., Hamanaka, S., Maeda, Y., Jian, D., Hatsuda, M.: "Newly Developed Sensor Sheet for Measuring Tongue Pressure during Swallowing," Journal of Prosthodontic Research 53 (2009) pp. 28-32. |
| | 1024 | Hori, K., Ono, T., Iwata, H., Nokubi, T., Kumakura, I.: "Tongue pressure against hard palate during swallowing in post-stroke patients," The Gerodontology Association and Blackwell Munksgaard Ltd, Gerodontology 2005: 22: pp. 227-233. |
| | 1025 | Ono, T., Hori, K., Tamine, K., Shiroshita, N., Kondoh, J., Maeda, Y.: "Application of Tongue Pressure Measurement to Rehabilitation of Dysphagic Patients with Prosthesis," Prosthodontic Research & Practice Vol. 7 No. 2, July, 2008, pp. 240-242. |

| Topic | No. | Flyers / Papers / Articles |
|----------------------------|---|---|
| Brake | 141 | "New Brake Testing Application for Tekscan's Grid-Based Pressure Measurement System", Sensors, May 1999 |
| | 1031 | Fieldhouse, J.D., Ashraf, N., Talbot, C. (The University of Huddersfield), "The Measurement and Analysis of the Disc/Pad Interface Dynamic Centre of Pressure and its Influence on Brake Noise," SAE International, Journal of Passeng. Cars-Mech. System. Vol. 1 Issue 1, pp.736-745 |
| | 1040 | Antanaitis, D. "Diagnosis of Off-Brake Performance Issues with Low Range Pressure Distribution Sensors," SAE Technical Paper Series #2010-01-0073 |
| Calibration | 1010 | Brimacombe, J., Anglin, C., Hodgson, A., Wilson, D., (Univ. of British Columbia): "Validation of Calibration Techniques for Tekscan Pressure Sensors" ISB 20th Congress-ASB 29th Annual Meeting, July, 2005 |
| Catalytic Converter | 118 | Myers, S.J., Turek, A., Wooten, J.E., & Boehnke, J. (Delphi Automotive): "Force Distribution on Catalysts During Converter Assembly" Reprinted From: Advanced Catalysts Substrates and Advanced Converter Packaging (SP-1532) SAE Technical Paper Series #2000-01-0222 |
| | 126 | Locker, R., Sawyer, C., Eisenstock, G.: "Thin Filmed Pressure Sensor Technology Applied to Catalytic Converter Packaging" SAE Technical Paper Series 2001-01-0223. |
| | 144 | Myers, S., Boehnke, J., Vaneman, G. (Delphi Automotive): "Designed Experiment to Evaluate the Canning Strength of Various High Cell Density / Ultra thin Wall Ceramic Monoliths" SAE Technical Paper Series, #2001-01-3663, 2001. |
| | 155 | "Chen, Y., Bowman, J., Harris, J., (ArvinMeritor, Inc.) "Catalyst Converter Canning Simulation Studies" SAE #2003-01-0666 |
| | 1032 | Eisenstock, G., Locker, R.J., Sawyer, C.B., Washington, K. P.(Corning, Inc.),"Evaluation of SoftMount Technology for Use in Packaging Ultra Thinwall Ceramic Substrates," Reprinted from: Emissions Modeling and General Emissions (SP-1676), SAE Technical Paper Series, #2002-01-1097. |
| 1034 | Knon, H., (Corning GmbH), Floerchinger, P.,(Corning, Inc.):"Review of Development, Properties and Packaging of Thinwall and Ultrathinwall Ceramic Substrates,"SAE Technical Paper Series #2002-01-3578. | |
| 1041 | Nickerson, S.T., Sawyer, C.B., Gulati, S.T.(Corning Incorporated), Fernandes, S.D., Olson, J.R. (Unifrax Corporation),"Advanced Mounting System for Light Duty Diesel Filter,"SAE Technical Paper Series #2007-01-0471. | |
| Civil Engineering | 101 | "Meeting The Challenge of High-Strength Concrete" CTL Review, Vol. 15, Number 2, 1992. |
| | 102 | "Tactile Force Sensors Measure Surface Non-Conformities" Design News, April, 1994. |
| | 105 | Paikowsky, S.G., Hajduk, E.L.(University of Lowell): "Calibration and Use of Grid-Based Tactile Pressure Sensors In Granular Material" Geotechnical Testing Journal, June 1997, pp. 218-241. |
| | 107 | Paikowsky, S.G., Palmer, C., Fang, Y.S., Lee, J., Chen, C.: "Model Retaining Wall Testing Utilizing Tactile Pressure Sensors Collaborative Research Project between Univ. Mass-Lowell and NCTU Taiwan" National Chiao Tung University, Hsinchu, Taiwan, Republic of China. |
| | 121 | Paikowsky, S., Palmer, C.J., & Dimillio, A.F.(University of Massachusetts, Amherst): "Visual Observation and Measurement of Areal Stress Distribution Under A Rigid Strip Footing" Performance Verification of Constructed Geotechnical Facilities, Amherst 2000: G-1/ASCE Specialty Conference, April 9-12, 2000, University of Massachusetts, Amherst |
| | 140 | Paikowsky, S., (University of Massachusetts Lowell) "Tactile Pressure Sensor Technology Applications to Geotechnical Engineering" |
| | 150 | Paikowsky, S., Rolwes, L., Tien, S. "Visualization and Measurements of Stresses around a Trap Door", Soil and Rock America (SARA) 2003, 12th Pan-American Conference on Soil Mechanics and Geotechnical Engineering and the 39th U.S. Rock Mechanics Symposium. MIT, Cambridge, MA, June 22-26, 2003, VGE Publishing. Cullingan, Einstein and Whittle Editors, Vol 1, pp 1171-1177. |
| | 164 | Buchhardt, Alexander, Dipl.Ing.(RWTH Aachen, Lehrstuhl und Institut fur Baumaschinen und Baubetrieb, Professor Dr. Ing. Osebold): "Investigation Method of Distribution of Stresses Between Initial Compression Pipes in the Pipe Jacking Process, Part 1" bi UmweltBau, Vol. 2, 2002, pp. 6-13. (German Article) |
| | 165 | Buchhardt, Alexander, Dipl.Ing.(RWTH Aachen, Lehrstuhl und Institut fur Baumaschinen und Baubetrieb, Professor Dr. Ing. Osebold): "Investigation Method of Distribution of Stresses Between Initial Compression Pipes in the Pipe Jacking Process, Part 2" bi UmweltBau, Vol. 3, 2002, pp. 4-15. (German Article) |
| | 1007 | Chikatamarla, R., Laue, J., Springman, J., "Rockfall Impact on Protection Galleries", Swiss Federal Institute of Technology (ETH), Zurich, Switzerland. |
| | 1008 | Paikowsky, S. G., Palmer, C. J., Rolwes, L. E., "The Use of Tactile Sensor Technology for Measuring Soil Stress Distribution," Geotechnical Engineering in the Information Technology Age: ASCE/Geo-Congress, February 26-March 1, 2006, Atlanta, Georgia. |
| | 1013 | Devinder, S.S., "Local ice pressure measured during ductile and brittle crushing of ice". |
| Ergonomics | 1014 | Sandu, C., Worley, M.E., Morgan, J.P., "Experimental study on the mobility of light weight vehicles on sand" 16th International Conference of the International Society for Terrain-Vehicle System, November, 2008. |
| | 147 | Hooper, R., Jones, G. (Department of Human Sciences, Loughborough University) "Are Interface Pressure Measurements a True Reflection of Skin Contact Pressure when over Different Layers of Clothing?" |
| | 1001 | Macias, B., Chambers, H., Murthy, G., "Loaded Backpacks may pose a Serious Health Risk to School Children" Paper No: 1083, 50th Annual Meeting of the Orthopaedic Research Society |
| | 1004 | Parkinson, M., Chaffin, D., Reed, M., "Balance Maintenance in Normal Seated Reach" Human Motion Simulation, Center for Ergonomics, University of Michigan, 2002. |
| | 1033 | Rodano, R., Squadrone, R., Sacchi, M., Marzegan, A., "Pressure Distribution on Bicycle Saddles," Proceedings from the Symposium of the Interanational Society of Biomechanics in Sports, Milan, Italy; November, 2002. |
| | 1042 | Melvin, J.W., Begeman, P.C.(Wayne State University), Gideon, T., "Determination of the Pressure Distribution Beneath Two-and Three-Inch Wide Racing Saftey Belts," SAE International Journal Passenger Cars-Mechanical Systems, Vol. 1, Issue 1, p. 1356-1366. |
| Fuel Cell | 1043 | Stevenson, J.M., Bossi, L.L., Bryant, J.T., Reid, S.A., Pelot, R.P., Morin, E.L., "A suite of objective biomechanical measurement tools for personal load carriage system assessment," Ergonomics, Vol. 47, No. 11, p.1160-1179 |
| | 156 | "Pressure measurement system helps verify design, detect seal leakage from pressure inequity" Fuel Cell Industry Report.Vol.5, No.7 (July 2004) |
| | 1029 | Montani, R., Squadrito, G., Giacoppo, G.: "Experimental of the Clamping Pressure Distribution in a PEM Fuel Cell Using Matrix-Based Piezoresistive Thin-Film Sensors," Proceedings from the XIX IMEKO World Congress, Fundamental and Applied Metrology, September 6-11, 2009, Lisbon, Portugal. |

Topic
Gasket/Sealing

- No. Flyers / Papers / Articles**
- 300 General Motors Powertrain Group Supplier Sealability Test Procedures, Second Edition, February 1997: "Laboratory Specs"
- 302 Birembaut, Y., Ledauphin, T. (CETIM, France): "Bolted Gasketed Joints Subjected to External Bending Moments: Effect on Gasket Behavior And Sealing Performances" PVP, Vol. 305, Current Topics in Computational Mechanics, ASME 1995
- 303 Chaaban, A., Derenne, M., Bouzid, A. (CETIM, France): "Evaluation of Torque Coefficients And Gasket Stress Distributions In A Bolted Flanged Joint Using Different Types of Lubricants" 3rd International Symposium on Fluid Sealing, Biarritz, France September 15-17, 1993.
- 304 Ledauphin, T., Birembaut, Y., Pilorge, A. (CETIM, France): "De La Caracterisation Des Joints A L'Etude Des Assemblages Boulonnes Soumis A Efforts Exterieurs" 3rd International Symposium on Fluid Sealing, Biarritz, France, September 15-17, 1993
- 305 Czernik, D., Miszczak, F.: "A New Technique to Measure Real Time Static and Dynamic Gasket Stresses" SAE Technical Paper Series, #910205, 1991
- 306 Toth, D., Hatch, F., Upper, G.: "Advanced Analytical Techniques for the Optimization of PTFE Seals" SAE Technical Paper Series, #930531, 1993
- 307 Gruber, A. (BMW AG): "Flächenpressung Elektrisch Gemessen" Poster Presentation GESA Symposium 1996, Schliersee, Germany (German Article).
- 308 Merkl, E., Strohmeier, K., Ficker, E.: "Beanspruchungsanalyse an einem Bajonettverschluss Mittels FEM, DMS, Drucksensoren, Wegaufnehmern und Spannungsoptik" TU Munchen, Poster Presentation GESA Symposium 1996, Schliersee, Germany (Germany Article)
- 309 Yokoyama, K., Okazaki, M., Komito, T.: "Effect of Contact Pressure and Thermal Degradation on the Sealability of O-Ring" JSAE Review 19 (1998) 123-128.
- 310 Reed, J., Dupen, B., "Methods to Evaluate Seal Compression on Panel Filters" Reprinted From: New Engine Design and Automotive Filtration (SP-1362) SAE Technical Papers 980870
- 1036 Zhang, Z., Young, S., "Low Frequency Transient CAE Analysis for Vehicle Door Closure Sound Quality," SAE Technical Paper Series #2005-01-2339.

Grip

- 127 Shinoda, S.: "The Study of Measurement Methods of Finger Operation" Nitta Corporation, Japan.
- 132 Komistek, R. (2001). Rocky Mountain Musculoskeletal Laboratory. Denver, CO.
- 1012 Komi, E.R., Roberts, J.R., Rothberg, S.J. "Measurement and analysis of grip force during a golf shot" Proceedings of the IMechE Vol. 222 Part P: Journal of Sports Engineering and Technology, November, 2008.
- 146 Kawasaki, H., Komastu, T., Uchiyama, K. "Dexterous Anthropomorphic Robot Hand with Distributed Tactile Sensor: Gifu Hand II" IEEE/ASME Transaction of Mechatronics, Vol. 7, No. 3, September 2002
- 1038 Velthuis, R., Bazen, A., Kauffman, J., Hartel, P. "Biometric Verification based on grip-pattern recognition." Univeristy of Twente, Faculty of Electrical Engineering, Mathematics and Computer Science, The Netherlands
- 700 Atkinson, P. (Kettering University/McLaren Hospital): "The Biomechanics of Knee Injury" Poster Presentation of Crash Studies, Presented at the SAE Lower Extremity TopTech in New Orleans, January 26, 2000
- 701 Benny, J., Marigowda, H., Atkinson, P. (Kettering University), Clancy, E., Gosk, R., Jett, T., Jendrowski, M. (Breed Technologies) (2001) "High Speed Measurement of Contact Pressure and Area during Knee-to-Instrument Panel Impact Events Suffered from Frontal Crashes" Reprinted from Biomechanics Research and Development. SAE Technical Paper Series #2001-01-0174.
- 702 Marigowda, H., Benny, J., Atkinson, P. (Kettering University), Clancy, E., Gosk, R., Jett, T., Jendrowski, M. (Breed Technologies) (2001) : "A Methodology for Measurement of Head-To-B-Pillar Contact Pressure and Area Responses" Reprinted From: Side Impact, Rear Impact, and Rollover (SP-1616) SAE Technical Paper Series #2001-01-0718.
- 703 Ankrah, S., Mills, N. Metallurgy and Materials, University of Birmingham, UK "Ankle Protection in Football Shin Guards", p. 128-135, The Engineering of Sport, Eds S. Ujihashi and S.J. Hakke, Blackwell (2002).
- 704 "Child Seat Safety Performance Comparison Test", The Ministry of Land, Infrastructure and Transport (MLIT) and the National Organization of Automotive Safety and Victim's Aid (OSA), February, 2003.
- 705 Hosono, T. (National Organization for Automotive Safety & Victims' Aid), Kimura, Y. (Ministry of Land, Infrastructure and Transport), Takatori, O., (Japan Automotive Research Institute) "Child Restraint System Assessment Program in Japan", Paper Number ID241
- 706 "Japanese Automobile Research Institute -Child Restraint Test Results" (Japanese Article) March, 2004.

Joint Research

- 500 "Product Description: K-Scan Artificial Knee Analysis System" Tekscan Flyer.
- 501 Booth, R., Sutton, D., Hershberger, T.: "Computerized Bio-Sensor Analysis Of Total Knee Arthroplasty" The Knee Society Scientific Meeting, February 27, 1994, LA.
- 502 Cooper, P., Nowak, M., Shaer, J.: "Calcaneocuboid Joint Pressures with Lateral Column Lengthening (Evans) Procedure" Biomechanics Laboratory, Department of Orthopaedic Surgery, University of Connecticut Health Center, Foot & Ankle International/Vol. 18, No. 4/April 1997
- 503 Matsuda, S., Ishinishi, T., McCarthy, D., Whiteside, L. (Biomechanical Research Laboratory, Barnes West County Hospital, Missouri): "Contact Stresses with an Unresurfaced Patella in Total Knee Arthroplasty: The Effect of Femoral Component Design" 63rd Annual Meeting of the American Academy of Orthopaedic Surgeons, 2/22-26/96
- 504 Matsuda, S., Williams, V.G., Whiteside, L.A., and White, S.E. (Biomechanical Research Laboratory, St. Louis Missouri): "A Comparison of Pressure Sensitive Film and Digital Electronic Sensors To Measure Contact Area And Contact Stress" 41st Annual Meeting, Orthopaedic Research Society, February 13-16, 1995 Orlando, FL.
- 505 Ochoa, J., Sommerich, R., & Zalenski, E.: "Application of an Innovative Experimental Method To Characterize Contact Mechanics of Total Joint Replacements" 39th Annual Meeting, Orthopaedic Research Society, February 15-18, 1993, San Francisco, CA.
- 506 Pavlovic, J., Takashashi, Y., Bechtold, J., Gustilo, R., Kyle, R. (Hennepin County Medical Center) "Can The Tekscan Sensor Accurately Measure Dynamic Pressures In The Knee Joint?" Conference Proceeding of The American Society Of Biomechanics 17th Annual Meeting, October 21-23, 1993, Iowa.
- 507 "Sensor Measures Forces In Knee Implants" Design News, 6/13/94.
- 508 Werner, F., Green, J., Fortino, M., Mann, K., Short, W. (SUNY Health Science Center, NY.) "Evaluation of A Dynamic Intra-Articular Contact Pressure Sensing System" 41st Annual Meeting, Orthopaedic Research Society, February 13-16, 1995, Orlando, FL.
- 509 Wilson, D.R., Eichler, M.J., Hayes, W.C.: "Accuracy Of The I-Scan Pressure Measurement System" Orthopaedic Biomechanics Lab, Beth Israel Deaconess Medical Center and Harvard Medical School. Presented at the 44 th Annual Meeting, Orthopaedic Research Society, March 16-19, 1998, New Orleans, LA.
- 510 Otto, J.K., Brown, T.D., Heiner, A.D. Pedersen, D.R., Callaghan, J.J.: "Characterization of The Dynamic Response of a Piezoresistive Contact Stress Sensor" Department of Biomedical Engineering, University of Iowa, Iowa City, IA.
- 511 Harris, M.L., Morberg, P., Bruce, W.J.M., Walsh, W.R.: "An Improved Method for Measuring Tibiofemoral Contact Areas in Total Knee Arthroplasty: a Comparison of K-scan Sensor and Fuji Film" Journal of Biomechanics 32: 1999, pp 951-958
- 512 Wallace, A.L., Harris, M.L., Walsh, W.R., Bruce, W.J.M.: "Intraoperative Assessment of Tibiofemoral Contact Stresses in Total Knee Arthroplasty" Journal of Arthroplasty 13: 1998, pp 923-927
- 514 Wilson, D., Apreleva, M., Ramappa, A., Harrold, F., and Steiner, M. "Tibial Tubercle Anteromedialization Restores Patellar Force Distribution" Orthopaedic Biomechanics Laboratory, Beth Israel Deaconess Medical Center and Harvard Medical School, Boston, USA, Queen's University, Canada.

- No. Flivers / Papers / Articles**
- 515 Bai, B., Kummer, F., Sala, D., Koval, K., Wolinsky, P. "Effect of Articular Step-off and Meniscectomy on Joint Alignment and Contact Pressures for Fractures of the Lateral Tibial Plateau" Journal of Orthopaedic Trauma 15: 2001, pp.101-106.C22
- 516 DeMarco, A.L., Rust, D.A., and Bachas, K.N., "Measuring Contact Pressure and Contact Area in Orthopedic Applications: Fuji Film vs. Tekscan" Orlando, FL 46 th Annual Meeting, March 12-15, 2000, 0518.
- 517 Ostermeier, S., Stukenborg-Colsman, C., Wenger, K., Wirth C., "Dynamic In Vitro Comparison of Tibiofemoral Contact Stress After TKA with Fixed and Mobile Bearing Inlay" Orthopaedic Research Society, 48th Annual Meeting, March 12-15, 2000.
- 518 Matsuda, S., Whiteside, L., White, S., McCarthy, D., "Knee Kinematics of Posterior Cruciate Ligament Sacrificed Total Knee Arthroplasty" Clinical Orthopaedics and Related Research, No. 341, pp 257-266, 1997.
- 519 Matsuda, S., Whiteside, L., White, S., Ishinishi, T., "Effect of Patellar Meniscus on Patellofemoral Contact Stress in Total Knee Arthroplasty" The Journal of Arthroplasty Vol. 13, No. 6, 1998.
- 520 Matsuda, S., Ishinishi, T., White, S., Whiteside, L., "Patellofemoral Joint After Total Knee Arthroplasty" The Journal of Arthroplasty Vol. 12, No. 7, 1997.
- 521 Hatrick, C., O'Leary, S., Miller, B., Goldberg, J., Sonnabend, D., Walsh, W., "Should Acute Anterior Dislocation of the Shoulder be Treated in External Rotation" 48th Annual Meeting of the Orthopaedic Research Society, Poster No. 0830, 2001.
- 522 Hirschler, C., Wuelker, N., Windhagen, H., Klages, A., "Glenoid Component Loading Patterns in Total Shoulder Arthroplasty: Dependence on Head Component Medial-Lateral Offset and Rotator Cuff Function" 48th Annual Meeting of the Orthopaedic Research Society, Poster No. 0837, 2001.
- 523 Parks, B., Sparks, N., Stroud, C., "Contact Pressures Before and After Repair of the Osteochondral Lesion of the Anterolateral Dome of the Talus", 48th Annual Meeting of the Orthopaedic Research Society, Poster No. 0879, 2001.
- 524 Condit, M., Ismaili, S., Merves, M., Alexander, J., Bartz, R., Lionberger, D., "Effect of Notchplasty Size on Tibiofemoral Contact Area", 48th Annual Meeting of the Orthopaedic Research Society, Poster No. 0918, 2001.
- 525 Kirking, B., Condit, M., Parduhn, C., "Validation of Knee Insert Stress During Virtual Testing", 48th Annual Meeting of the Orthopaedic Research Society, Poster No. 0953, 2001.
- 526 Essner, A., Wang, A., Poggie, M., "Crosslinked UHMWPE Subject to Mal-aligned Knee Wear", 48th Annual Orthopaedic Research Society, Poster No. 1042, 2001.
- 527 Bachus, K., Brodke, D., Gologly, S., Mohr, R., "Dynamic Cervical Plates: Does Load Sharing Cause Instability?", 46th Annual Meeting, Orthopaedic Research Society, March 12-15, 2000, Orlando, Florida.
- 528 Davitt, J., Beals, T., Bachus, K., "The Effects of Medial and Lateral Displacement Calcaneal Osteotomies on Ankle and Subtalar Joint Pressure Distribution", Foot & Ankle International/Vol.22, No.11/November 2001
- 529 Rulkoetter, P.J., Gabriel, S.M., Collieran, D.P., Zalenski, E.B., (University of Denver) "The Relationship between Contact Stress and Contact Area with Implications for TKR Evaluation and Design", 45th Annual Meeting, Orthopaedic Research Society, February 1-4, 1999, Anaheim, California.
- 530 Otto, J.K., Brown, T.D., Heiner, A.D. Pedersen, D.R., Callaghan, J.J., "Heredity Integral Drift Compensation in Piezoresistive Contact Stress Sensors" Department of Biomedical Engineering, University of Iowa, Iowa City, IA.
- 531 Fishkin, Z., Serpe, L., Kester, M.A., Edidin, A., Mahoney, O.M., Schmalzried, T.P., "Maximizing Conformity without Excessive Rotational Constraint in TKA", 45th Annual Meeting, Orthopaedic Research Society, February 1-4, Anaheim, California.
- 532 Arizono, T., Emoto, G., Whiteside, L.A., "Effect of Malrotation on Tibiofemoral Articular Contact Pressure and Kinematics with a Conforming Tibial Articulation in Total Knee Replacement", 45th Annual Meeting, Orthopaedic Research Society, February 1-4, Anaheim, California.
- 533 Blakemore, D.M., Levine, D., (Zimmer Orthopaedic Research Laboratory, Warsaw, IN) "Comparison of Methods to Measure Contact Stresses in UHMWPE", SEM Conference June 2000
- 534 Blakemore, D.M., Allard, R. Levine, D., (Zimmer Orthopaedic Research Laboratory), "Contact Area and Stress Measurement Utilizing Tekscan for a Sublexed Glenoid Component Under Simulated Loading Conditions", Biomaterials, May 2000
- 536 Caputo, A., Mazzocca, A., Nowak, M., (University of Connecticut Health Center), "Joint Contact Patterns of the Radiocapitellar Joint with Forearm Rotation in a Cadaveric Model" 44th Annual Meeting, Orthopaedic Research Society, March 16-18, 1998, New Orleans, Louisiana
- 537 Morra, E., Postak, P., Greenwald, A., (Orthopaedic Research Laboratories), "The Effects of Articular Geometry on Delamination and Pitting of UHMWPE Tibial Inserts II: A Finite Element Study" Orthopaedic Research Laboratories, 1997, Cleveland, Ohio.
- 538 Kirsstukas, S.J., (Research Department, The National College of Chiropractic) "Accuracy of Tekscan I-Scan Force Measurements in Repeated Deforming Use"
- 539 Imamura, M., Imamura, S.T., Salomao, O., Pereira, C., De Carvalho, A., Neto, R., "Pedobarometric Evaluation of the Normal Adult Male Foot", Foot & Ankle International/Vol.23, No.9/September 2002
- 540 Mueller, M., Hastings, M., Commean, P., Smith, K., Pilgram, T., Robertson, D., Johnson, J. "Forefoot Structural Predictors of Plantar Pressures During Walking in People with Diabetes and Peripheral Neuropathy"
- 541 Thambyah, A., Goh, J., De, S., Department of Orthopaedic Surgery, National University of Singapore "Are the Articular Contact Stresses in the Knee Joint During Deep Flexion Critical?"
- 542 Elias, J., Wilson, D., Adamson, R., MacIntyre, N., Cosgarea, A., "Experimental Validation of a Computational Model of the Patellofemoral Joint"
- 543 Short, W. H. et al. "A Dynamic Biomechanical Study of Scapholunate Ligament Sectioning" The Journal of Hand Surgery, 1995.
- 544 U.S.-Russian Partnership in Prosthetics and Rehabilitation. O & P News, 2002
- 545 DeFrate, L., Gill, T., Park, S., Stamos, B., Li, G., "Tibiofemoral Joint Kinematics Affect Patellofemoral Joint Contact Pressures" Paper No: 0082, 50th Annual Meeting of the Orthopaedic Research Society
- 546 Papaioannou, G., Yang, K., Fyhrle, D., Tashman, S., "Validation of a Subject Specific Finite Element Model of the Human Knee Developed for In-Vivo Tibio-Femoral Contact Analysis" Paper No: 0358, 50th Annual Meeting of the Orthopaedic Research Society
- 547 Stubbs, D., Deakin, M., Hartwright, D., Bruce, W., Goldberg, J., Gillies, R., Walsh, W., "Increasing Tendon-Bone Contact Area and Pressure with a new Device" Paper No: 0849, 50th Annual Meeting of the Orthopaedic Research Society
- 548 Papaioannou, G., Demetropoulos, C., Guettler, J., Jurist, K., Fyhrle, D., Tashman, S., Yang, K., "Osteochondral Defects in the Human Knee with Evaluation of Defect Size on Cartilage Rim Stress: In-Situ Study for Finite Element Model Validation" Paper No: 1242, 50th Annual Meeting of the Orthopaedic Research Society
- 549 Reach, J., Haleem, A., Talac, R., Riemer, R., Kaufman, K., An, K., Adams, J., Barnes, D., Lewallen, D., "Off-loading of the Medial Compartment of the Knee using Implanted Magnets" Paper No: 1258, 50th Annual Meeting of the Orthopaedic Research Society
- 550 Hadfield, M., Snyder, J., Liacouras, P., Owen, J., Wayne, J., Adelaar, R., "The Effect of Medializing Calcaneal Osteotomy Upon Achilles Tendon Length and Foot Pressures with and without Superior Translation" Paper No: 1320, 50th Annual Meeting of the Orthopaedic Research Society
- 551 Laman, B., White, J., Thompson, M., Condit, M., Noble, P., "Tibial and Patellar Component Forces during Kneeling after Total Knee Replacement" Paper No: 1381, 50th Annual Meeting of the Orthopaedic Research Society
- 552 Matsuda, S., Mizu-uchi, H., Nakayama, K., Miura, H., Mawatari, T., Okazaki, K., Higaki, H., Otsuka, K., Iwamoto, Y., "Contact Stress Analysis at the Post-Cam Mechanism in Posterior Stabilized Total Knee Arthroplasty" Paper No: 1393, 50th Annual Meeting of the Orthopaedic Research Society
- 553 Anderson, I., MacDiarmid, A., Harris, M., Gillies, R., Phelps, R., Walsh, W., "A novel method for measuring medial compartment pressures within the knee joint in-vivo", Journal of Biomechanics 36 (2003) 1391-1395

| Topic | No. | Fliers / Papers / Articles | |
|------------------|-------------------------|---|--|
| Material | 108 | Peralta, P., Bangi, A.: "Grid-Based Tactile Sensor System for Shrinkage Pressure Measurement" Wood and Fiber Science, 32(1), 2000, pp.52-60 | |
| | 112 | Demetry, C., Souto, F., Ryden, B., Roy, J. (Worcester Polytechnic Institute): "Tactile Sensing of density uniformity in powder beds after die filling" Powder Technology 99 (1998) pp119-124 | |
| | 116 | Lober, G., Schaffer, D., Knake, H.: (Universitat Jena) "Hybride Spannungsanalyse in mehrkomponentigen Verbunden mit elastischer Zwischenschicht" (Hybrid Stress Analysis in Multicomponent Compounds with Flexible Intermediate Layers) VDI Berichte NR. 1463, 1999 pp 139-144. | |
| | 119 | Blanc, S., Advisors: Steiners, K.V., Advani, S.G.(University of Delaware): "Analysis Of Fabric Compaction And Flow-Rate Monitoring During The RTM Process" University of Delaware Center For Composite Materials Technical Report, CCM Report 99-07, Summer 1999 | |
| | 130 | Sodhi, D.(U.S. Army Cold Regions Research and Engineering Lab.), "Crushing Failure During Ice-Structure Interaction", Engineering Fracture Mechanics 68 (2001) pp.1889-1921. | |
| | 136 | Hsiao., K.T., Devillard, M., Advani, S., (University of Delaware Center for Composite Materials and Department of Mechanical Engineering)"Streamlined Intelligent RTM Processing: From Design to Automation" | |
| | 1005 | Johanson, K., Bucklin, R., "Measurement of K-Values in Diamondback Hoppers using pressure sensitive pads" Powder Technology 140 (2004) pp. 122-130. | |
| | 1035 | Lam, Robert C., Chavdar, B., Newcomb, T.(Borg Warner Transmission Systems),"New Generation Friction Materials and Technologies,"Reprinted from: Transmission and Driveline 2006 (SP-2001), SAE Technical Paper Series #2006-01-0150. | |
| | Miscellaneous | 1044 | Shaw, Ayra J., Davis, Brett A., Collins, Michael J., Carney, Leo G. "A technique to measure eyelid pressure using piezoresistive sensors" IEEE Transactions on Biomedical Engineering, 2009 |
| | | 104 | Bengtsson, M. (Albany Nordiskafilt): "Matning av tryckvariationer hos pressfilter" Svensk Papperstidning/nordisk cellulosa nr 1. 1995 |
| 111 | | Fekete, E., Wiebe, K. (JWI Group Press Fabrics/ JWI Group Ltd.): "The Limits of Pressing" Paper Industry Maintenance Conference, October 1998, 1998 Engineering Conference Publication pp. 267-277 | |
| 600 | | Albany International, "Issue #2: NipScan, An Introduction" Belt Facts November 2000. | |
| 601 | | Albany International, "Issue #3: NipScan- Nip Profile Measurements" Belt Facts, December 2000. | |
| 603 | | Perron, D. Strom, L.M. (Albany International & Albany Nordiskafilt AB): "Shoe Press Fabric Designs for Publication Grades" Paper Age Magazine, July 1998 pp. 24-26. | |
| Palpation | | 128 | Niemczyk, P., Cummings, K., Sarvazyan, A., Bancila, E., Ward, W., Weiss, R.: "Correlation of Mechanical Imaging and Histopathology of Radical Prostatectomy Specimens: A Pilot Study for Detecting Prostate Cancer" The Journal of Urology, Vol. 160, p.797-801, September 1998. |
| | | 139 | "Electronic Palpation May Detect Breast Cancers", Oncology News International, Volume 8 Number 2 / February 1999 |
| | | 200 | Volker, H. Pechmann, R., Schmelzer, O.: "In-process measurement of pressure in the polishing of optical glasses" Friedrich-Schiller-University Jena, Technical Institute, Germany, 1997. |
| Polishing | | 201 | He, C., Chiou, C., Pan, W., Chung, H.: "Effect of Water Edge Contact Stress On Non-Uniformity During CMP" CMP-MIC Conference, March 2-3, 2000. |
| | 202 | Golini, D., Jacobs, S., Kordonski, W., Dumas, P., (QED Technologies, LLC) "Precision Optics Fabrication using Magnetorheological Finishing" | |
| | 203 | Philipossian, A., Mustapha, L. (University of Arizona, Tuscon): "Effect of Mechanical Properties of PVA Brush Rollers on Frictional Forces during Post-CMP Scrubbing", Journal of the Electrochemical Society, 151 G632-G637, 2004. | |
| | Pressure Garment | 129 | Tourbier, D., Knudsen, J. (Honeywell International), Hargens, A., Tanaka, K., Waldie, J. (University of California) "Physiological Effects of a Mechanical Counter Pressure Glove", SAE Technical Paper Series #2001-01-2165. |
| 138 | | Mann, R., Yeong, E., Moore, M., Engrav, H., "A New Tool to Measure Pressure Under Burn Garments", Journal of Burn Care & Rehabilitation March/April 1997 | |
| 143 | | Mann, R., Yeong, E., Moore, M., Colescott, D., Engrav, H., "Do Custom Fitted Pressure Garments Provide Adequate Pressure", American Burn Association, Nashville, TN. | |
| 900 | | "Soldier Load Carriage Systems: Biomechanical Measurement Tools" DRDC Toronto August 2002 | |
| 901 | | Knudsen, J., Tourbier, D., Webb, P., Jarvis, C., Tanaka, K., Limberg, R., Hargens, A., "Physiological Effects of Underpressure and Overpressure in a Study of Mechanical Counter Pressure Suits" SAE 2002-01-2317 | |
| 1021 | | Tanaka, K., Limberg, R. Webb, P., Reddig, M., Jarvis, C.W., Hargens, A.R., "Mechanical Counter Pressure on the Arm Counteracts Adverse Effects of Hypobaric Exposures" Aviation, Space and Environmental Medicine, vol. 74 No. 8, August, 2003. | |
| Printing | 1022 | Waldie, J., Tanaka, K., Tourbier, D., Webb, P., Jarvis, C.W., Hargens, A.R., "Compression under a mechanical counter pressure suit glove" Journal of Gravitational Physiology, vol. 9 (2), December, 2002. | |
| | 1018 | Hallberg,E., Lestelius, M., Ratto,P., Thuvander, F. and Odeberg Glasenapp, A. (2005): "Flexo Print of Corrugated Board: Mechanical Aspects of the Plate and Plate Mounting Materials, TAGA Journal, vol. 2, pp.16-28 | |
| | 1019 | Hallberg,E., Lestelius, M., Ratto,P., Thuvander, F. and Odeberg Glasenapp, A. (2004): "Evaluation of Pressure Variations Generated During Flexographic Post-Print of Corrugated Board and Effects of Mechanical Properties of Printing Forms on Printed Banding," 56th Annual TAGA Technical Conference Proceedings, TAGA, Pennsylvania, U.S.A., pp. 114-126. | |
| | 1020 | Hallberg Hofstrand, E., and Ratto, P. (2006): "Impact of Different Printing Forms on Print Banding on Post-Printed Corrugated Board", Experimental and Numerical Investigations, Accepted for presentation at the international conference, Printing Technology SPb'06, St. Petersburg, Russia 26-30 June, 2006. | |
| Railway | 117 | Lonsdale, C., Lowe, M., Luke, S., Rees, J.: "Field Determination Of Braking Ratios For Cars In Coal Service. A Study of Braking Ratio Changes For Certain Older Coal Cars And A New Way To Determine Braking Ratio In The Field" Presented at the 91st Annual Technical Conference Of the Air Brake Association, Chicago, IL, September 21, 1999. | |
| | 1002 | Rose, J.G., Su, B., Twehues, F. Abstracts of the Seventh Annual Conference: Maintenance & Renewal of Permanent Way; Power & Signaling; Structures & Earthworks. "Railway Track and Sub-Structure Stress-Numerical-Prediction vs. In-Situ Measurement" | |
| | 1003 | Rose, J.G., Stith, J.C. Abstracts of the Seventh Annual Conference: Maintenance & Renewal of Permanent Way; Power & Signaling; Structures & Earthworks."Tekscan Sensors - Rail/Sleeper Interface Pressure Measurements in Railway Trackbeds" | |
| | 1017 | Anderson, J.S., Rose, J.G., "In Situ-Test measurement techniques within railway track structures" Proceedings of the IEEE/ASME Join Rail Conference, 2008. | |

Topic
Seating/Bedding
 (Note: Articles with
 "*" before the number
 are related to
 medical)

| No. | Fliers / Papers / Articles |
|------------|--|
| 145 | Chen, L., Balci, R., Vertiz, A., (Delphi Corporation): "Safety Belt Fit, Comfort, and Contact Pressure Based on Upper Anchorage Location and Seat Back Angle" SAE Technical Paper Series, #2003-01-0954, 2003. |
| 400 | Brodeur, R., Cui, Y., Reynolds, H. (Michigan State University): "Locating the Pelvis in the Seated Automobile Driver" SAE Technical Paper Series, #960481, 1996 |
| *401 | Ferguson-Pell, M., & Cardi, M. (Center for Rehabilitation Technology, Helen Hayes Hospital, NY): "Prototype Development and Comparative Evaluation of Wheelchair Pressure Mapping System" Assistive Technology, Vol. 5, No. 2. |
| 402 | Ferguson-Pell, M., & Cardi, M. (Center for Rehabilitation Technology, Helen Hayes Hospital, NY): "Pressure Mapping Systems" TeamRehab Report, October, 1998. |
| 403 | Frusti, T., & Hoffman, D. (Ford Motor Company): "Quantifying The Comfortable Seat Developing Measurable Parameters Relating To Subjective Comfort." IBEC'94, Automotive Body Interior & Safety Systems. |
| *404 | Henderson, J., Price, S., Branstater, M., Mandac, B.: "Efficacy of Three Measures to Relieve Pressure in Seated Persons With Spinal Cord Injury." Archives Physical Medicine and Rehabilitation, Vol 75, May 1994. |
| 405 | Kumar, A., Bush, N., Thakurta, K. (Johnson Controls, Inc.): "Characterization of Occupant Comfort In Automotive Seats" IBEC'94, Automotive Body Interior & Safety Systems. |
| 406 | L'Auto Journal French Article: "Mal De Dos - Vos Sieges Sont-ils Coupables?" |
| 407 | Lee, J., & Ferraiuolo, P. (Ford Motor Company): "Seat Comfort" SAE Technical Paper Series, #930105, 1993. |
| *408 | Lee, Y.L., Lau, M.W.Y.: "Evaluation of Static And Dynamic Pressure Relieving Intervention In Seated Persons With Spinal Cord Injury" Department of Orthopedic & Traumatology, Prince of Wales Hospital, Shatin, The Chinese University of Hong Kong, Hong Kong, Occupational Therapy Department, Shatin Hospital, Hong Kong. (Medical Article) |
| 409 | "Measuring Seat Comfort" Automotive Engineering, July 1993. |
| 410 | Millet, G., Blaise, T.: "Mesure De Pression Et Confort De Siege Automobile" (Pressure Measurement And Automotive Seat Comfort) Bertrand Faure Equipments S.A. (French Article) Presented at the Societe des Ingenieurs de L'Automobiles Congress "Les Composants de l'habitacle" March 21, 1996 |
| 411 | Murray, C.: "Where Comfort Isn't An Afterthought – Simultaneous development puts Buick at the forefront of seat design" Design News, 10/5/92. |
| 412 | Pajon, M., Bakacha, M., Pignede, D., & van Effenterre, P.(Bertrand Faure Equipments S.A.): "Modeling of P.U. Foam Behavior - Applications in the Field of Automotive Seats" SAE Technical Paper Series #960513, 1996. |
| 413 | Philippe, G., (Renault S.A.): "One methodology to evaluate Automotive Seat Comfort" |
| 414 | Podoloff, R.: "Automotive Seating Analysis using Thin, Flexible Tactile Sensor Arrays" 10/26/92. |
| *415 | Ragavan, R., Benoit, P., Ohanna, F. (Centre Propara, Spinal Unit, Montpellier, France) "Clinical applications of real-time measurements of seating pressures among spinal cord injury patients." |
| 416 | Reynolds, H., Rayes, K., Eppler, M., Neal, D., & Kerr, R. (Michigan State University): "Development of a Vehicle Laboratory to Investigate Driver Comfort from Physical Measurements" SAE Technical Paper Series, #960480, 1996 |
| 417 | Thakurta, K., Linder, C. (Johnson Controls, Inc.): "Seat Design Gets Comfortable" IBEC'95, Automotive Body Interior & Safety Systems. |
| 418 | Thakurta, K., Koester, D., Bush, N. & Bachle, S. (Johnson Controls, Inc.): "Evaluating Short and Long Term Seating Comfort" SAE Technical Paper Series, #950144, 1995 |
| 419 | Winfield, B.: "Buick Riviera - A Buick once again fit for the Cote d'Azur" January 1994. |
| 420 | Yamaha Majesty 250 Motorcycle Color Flyer (In Japanese) |
| 421 | Cohen, D.: "An Objective Measure of Seat Comfort" Aviation, Space, and Environmental Medicine, Vol. 69. No. 4, April 1998 |
| *422 | Barnett, R., Shelton, F. (Hill-Rom): "Measurement of Support Surface Efficacy: Pressure" Advances In Wound Care, November/December 1997 pp 21-29 (Color Re-prints Available) |
| 423 | Hughes, E., Shen, W., Vertiz, A. (Delphi Interior and Lighting Systems): "The Effects of Regional Compliance and Instantaneous Stiffness on Seat Back Comfort" SAE Technical Paper Series #980658 |
| 424 | Inagaki, H., Taguchi, T., & Yasuda, E.: "Evaluation of Riding Comfort: From the Viewpoint of Interaction of Human Body and Seat for Static, Dynamic, Long Time Driving" Reprinted From: Human Factors in 2000: Driving, Lighting, Seating Comfort, and Harmony in Vehicle Systems (SP-1539) SAE Technical Paper Series, #2000-01-0643. |
| 425 | Uenishi, K., Fujihashi, K., & Imai, H. (Daihatsu Motor Co., Ltd.): "A Seat Ride Evaluation Method For Transient Vibrations" Reprinted From: Human Factors in 2000: Driving, Lighting, Seating Comfort, and Harmony in Vehicle Systems (SP-1539) SAE Technical Paper Series #2000-01-0641 |
| 426 | Milivojevic, A., Stanciu, R., Russ, A., Blair, G.R. & Van Heumen, J.D. (The Woodbridge Group): "Investigating Psychometric and Body Pressure Distribution Responses to Automotive Seating Comfort" Reprinted From: Human Factors in 2000: Driving, Lighting, Seating Comfort, and Harmony in Vehicle Systems (SP-1539) SAE Technical Paper Series 2000-01-0626 |
| 427 | Nishimatsu, T., Hayakawa, H., Shimizu, Y., Kamijoh, M., Toba, E. (Shinshu University): "Influence Of Top Coated Cloth For Sitting Comfort Of Automotive Seat" Kansei Engineering International, Vol. 1 No.1 pp. 17-24 (1999) |
| 428 | Leclerc, J.P., Lherminier F., Richard, L., Bonnevie, E. (French Article): "Confort Vibratoire Du Siege Automobile" May 1997, pp 17-32 |
| 429 | Kuboki, N., Okamura, H., Enomoto, T., Nishimoto, T., Ohue, T., Ando, K.: "An Occupant Sensing System for Automobiles Using a Flexible Tactile Force Sensor" Furukawa Review, No. 20 2001 |
| *430 | Palfy, T., Dunlop Foam and Flooring Group, Australia, "Finding the Comfort Zone through Pressure-Mat Testing of Seat Cushions" Urethanes Technology, April/May 2001. |
| 432 | Slivovsky, L., Tan, H. (2000): "A Real Time Static Posture Classification System" Reprinted from: DSC-Vol. 69-2, Proceedings of the ASME Dynamic Systems and Control Division, pp1049-1056. |
| 433 | Andreoni, G., Rabuffetti, M., Pedotti, A. (Politecnico di Milano): "A Methodological Approach for the Analysis of the Car Driver's Posture" SAE Technical Paper Series #1999-01-1927. |
| 434 | Bush, T., Hubbard, R. (Michigan State University): "Biomechanical Design and Evaluation of Truck Seats" Reprinted from: Ergonomics, Work Station, and Driver Issues (SP-1570), SAE Technical Paper Series #2000-01-3406. |
| 435 | Pewinski, W., Ventura, K., Sadek, J. (Magna Seating Systems): "A Preliminary Look at Occupant Sensing and Child Restraints" Reprinted from: Airbag Technology 2001 (SP-1615), SAE Technical Paper Series #2001-01-0163. |

Topic
Seating/Bedding
 (Note: Articles with
 "*" before the number
 are related to
 medical)

| No. | Flvers / Papers / Articles |
|------------|---|
| 436 | Brodeur, R., Reynolds, H. (ERL, LLC): "Digital Definition of the Deflected Shape of the Human Body in Seated Postures for Ergonomic Design in CAD Models" SAE Technical Paper Series #2001-01-2106 |
| 437 | Blair, R., van Hueman, J., Milivojevic, A. (The Woodbridge Group): "Moulded Polyurethane Foam's Contribution to Automotive Seating Comfort" MIRA pp.340-344. |
| 438 | Guernsey, L. (1999). "What's Next; Magic-Carpet Chairs of Virtual Reality." The New York Times on the Web. |
| 439 | (2001). "Sensing Chair." Purdue University, Haptic Interface Research Laboratory. |
| 440 | (2000). "Chair Becomes Personalized Posture Coach." Science News 158(21): 327. |
| 441 | (March 2000). "OCATD Occupant Classification ATD" First Technology Safety Systems Newsletter. |
| 442 | Tanigaki, S., Kaneko, K., "Fatigue Reducing Motorcycle Seat Using a Newly Developed Shock Absorbing Material" Yamaha Motor Co., Ltd. |
| 443 | Nishimatsu, T., Ariga, H., Toba, E., (Shinshu University): "Sitting Comfort of Automotive Assistant's Seat Evaluated by Visual or Tactual Sense" Vol. 48 No.11 (1995) |
| 444 | Smith, R., "Tackling the Challenge of Finding the Right Support Services to Prevent Pressure Sores in Mobility-Impaired Patients." Long-Term Rehab |
| 445 | Wu, X., Rakheja, S., (CONCAVE Research Center, Concordia University) "Distribution of Human-Seat Interface Pressure on a Soft Automotive Seat Under Vertical Vibration", IJIE, June 18, 1994. |
| 447 | Saito, M., (Ikeda Bussan Co., Ltd.), Wakabayashi, H., (Eest Japan Railway Company), "Development and Verification of Railway Seat for Long Term Sitting" |
| 448 | Cui, Y., Reynolds, H., (Michigan State University) "Bivariate Interpolation for Pressure Distribution at Occupant-Support Interface", General Motors Corporation |
| 449 | Demontis, S., Giacoletto, M., (C.R.F. Fiat Research Center): "Prediction of Car Seat Comfort from Human-Seat Interface Pressure Distribution", SAE Technical Paper Series #2002-01-0781 |
| 450 | Fritz, L., Pewinski, W., Sadek, J., (Intier Automotive Seating) "Obtaining a Represetative Occupant Load Path for Sliding Ingress Egress Testing" SAE 2003-01-2226 |
| 451 | Mota, S., Picard, R., (MIT Media Laboratory) "Automated Posture Analysis for detecting Learner's Interest Level" |
| 452 | Mello, S., Craig, S., Gholson, B., Franklin, S., Picard, R., Graesser, A., (The University of Memphis, M.I.T. Media Laboratory) "Integrating Affect Sensors in an Intelligent Tutoring System" |
| 453 | Seigler, T., (Virginia Polytechnic Institute and State University-Thesis) "A Comparative Analysis of Air-inflated and Foam Seat Cushions for Truck Seats" May 2004. |
| 1006 | Parsons, J. "Pressure pointers: Mapping systems evolve- Manufacturers, retailers find uses for the Improving systems" Bedtimes June 2005, pp. 11-12. |
| 1009 | Tan, H. Z., Slivosky, L. A., Pentland, A., "A Sensing Chair Using Pressure Distribution Sensors," IEEE/ASME Transactions on Mechatronics, Vol 6, No. 3, September 2001. |
| 1010 | Lai,Hsin-His, (Department of Industrial Design, National Cheng Kung University, Taiwan), "An Intelligent Comfort-Evaluating (ICE) Model for Child Car Seat Design." |
| 1011 | Seigler, M., Ahmadian, M., Boggs, C., "Validation of an Indentor System for Evaluating Truck Seat Cushions," (Advanced Vehicle Dynamics Laboratory, Department of Mechanical Engineering, Virginia Tech), Proceeding Institution of Mechanical Engineers, Vol. 217, Part D: J. Automobile Engineering, January 2003. |
| 1028 | Yang, C., Hsu, Y.: "Development of a Rapid Prototyping System for Custom Contoured Foam Cushion Using the Pressure Mapping Method,"Proceedings from the 36th International Conference on Computers and Industrial Engineering, June 20-23, 2006, Taipei, Taiwan, R.O.C. |
| 1039 | Montmayeur, N., Marca, C.(ESI Group), Choi, H., Sah, S.,"Experimental and Numerical Analyses of Seating Pressure Distribution Paterns,"SAE Technical Paper Series #2005-01-2703. |
| 106 | Siebert, K, Hohnhaus, J. and S. Wagner: "Combination of Hydraulic Multipoint Cushion System and Segment-Elastic Blankholders. Reprinted from: Developments in Sheet Metal Stamping (SP-1322) Presented at the SAE International Congress & Exposition, Detroit, MI, February 23-26, 1998. SAE Technical Paper Series #980077. |
| 151 | Malacaria, C. : "Making no Mark" Tire Technology International, June 2003, pp 51. |
| 1015 | Chan, B.J., Hissong, E., Sandu, C., Southward, S. "Development and design of cost efficient tire mechanics testing apparatus" Proceedings of 2007 ASME International Design Engineering Technical Conference, August, 2008. |
| 1026 | Sandu, C., Taylor, B.P., Biggans, J.S., Ahmadian, M.: "Building an Infrastructure for Indoor Terramechanics Studies: The Development of a Terramechanics Rig at Virginia Tech," 16th International Conference of the International Society for Terrain-Vehicle Systems, Turin, November 25-28, 2008. |
| 1027 | Mogi, E., Mizone, T., Hase, H., Nishitani, K., Mizutani, T., Takahashi, H.: "Research on Optimization of Viscoelastic Properties of TireTread Rubber to Reduce Rolling Resistance and Decrease Braking Distance," Review of Automotive Engineering 29 (2008) pp. 149-55. |
| 134 | Billot, P., Jallet, S., Marmonier, F.: "Simulation of Aerodynamic Uplift Consequences on Pressure Repartition - Application on an Innovative Wiper Blade Design" SAE Technical Paper Series 2001-01-1043. |
| 135 | Grenouillat, R., Leblanc, C.: "Simulation of Mechanical Pressure in a Rubber-Glass Contact for Wiper Systems" SAE Technical Paper Series 2002-01-0798. |

If you would like copies of any of these documents please order by their reference number. The reference number is located to the left of the document.