



MEDICAL BIBLIOGRAPHY

ARTICLES BY TOPIC

In-Shoe Plantar Pressure & Gait Analysis

Joint Research

Platform Based Plantar Pressure & Gait Analysis

Pressure Garment Research

Prosthetic Research

Seating Systems

General/Educational

Animal Studies

Ergonomics

Miscellaneous Applications

Tekscan in the News

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>In-Shoe Plantar Pressure & Gait Analysis</i>	173	Agins, S. <u>Evaluation of F-Scan Instrument.</u> <i>Wound Care of Northern NJ.</i>
	19	Ahroni, J. H., Boyko, E. J. and Forsberg, R. <u>Reliability of F-Scan In-Shoe Measurements of Plantar Pressure.</u> <i>Foot and Ankle International</i> 10/1/98; 9,10, pp 668-673.
	20	Albert, S. and Rinoie, C. <u>Effect of Custom Orthotics on Plantar Pressure Distribution in the Pronated Diabetic Foot.</u> <i>The Journal of Foot And Ankle Surgery</i> 3/1/94; 33, 6, pp 598-604.
	21	Albert, S. F. and Christensen, L. C. <u>Diabetic Foot Pressure Studies.</u> <i>The Lower Extremity</i> 1/1/94; 1, 1, pp 21-27.
	354	Ando, N., Ando, M., Takayanagi, T., Mano, Y. and Suzumura, A. <u>New Corrective Shoes to Improve Ataxic Gait of Patients with Spinocerebellar Degeneration.</u> Hokkaido University, Sapporo, Japan. June 25-28, 2000, pp 181-182.
	74	Awbrey, B. J., Siliski, J. M. and Tlumacki, M. <u>Biomechanical And Clinical Effectiveness Of A New Heel-Accommodating Orthosis to Manage Calcaneal Fracture.</u> 44th Annual Meeting, Orthopaedic Research Society, New Orleans, LA. 5/16/98.
	22	Bailey, G. <u>Computerized Pressure Mapping System for Orthotic Intervention.</u> <i>The Canadian Association of Prosthetists and Orthotists Yearbook</i> 12/31/93.
	663	Barrett, S. <u>Equinus Deformity as a Factor in Forefoot Nerve Entrapment: Treatment with Endoscopic Gastrocnemius Recession.</u> <i>Journal of the American Podiatric Medical Association</i> September/October 2005; pp 464-468.
	23	Baumann, W., Krabbe, B. and Farkas, R. <u>The Application of In-Shoe Pressure Distribution Measurements in the Controlled Therapy of Diabetes Patients.</u> VTA Berichte Nr. 940, 1/1/92, pp 413-419.
	24	Birke, J. A., Foto, J. G., Deepak, S. and Watson, J. <u>Measurement of Pressure Walking in Footwear Used in Leprosy.</u> <i>Lepr Rev</i> 65 2/4/94; pp 262-271.
	820	Botek, G., Owings, Tammy M. (2009). "Diabetes: Pressure Data Guide Offloading Efforts." <i>Lower Extremity Review</i> 1(3): 25-30.
	550	Birke, J.A., et al., <u>The Effectiveness of an Accommodative Dressing in Offloading Pressure Over Areas of Previous Metatarsal Head Ulceration.</u> <i>Wounds: A Compendium of Clinical Research And Practice</i> , 2003. 15(2): p. 33 - 39.
	315	Caselli, M. A. <u>Foot Management Guidelines for the Diabetic Patient.</u> <i>Podiatry Management</i> November/December 1998; pp 44-58.
	633	Caselli, M. A. <u>Orthoses, Materials, and Foot Function.</u> <i>Podiatry Management</i> , September 2004; pp. 131-138.
	78	Chen, F. C. <u>A Study of Normal Plantar Pressure Patter of the Foot During the Support Phase of Walking.</u> Dissertation Presented to the University of Oregon 8/1/94.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>In-Shoe Plantar Pressure & Gait Analysis</i>	26	Christensen, L.C. and Albert, S.F. <u>Diabetic Foot Pressure Studies Ankle Equinus and Its Effect on the Forefoot.</u> <i>The Lower Extremity</i> 1994.
	27	Cibulka, M. T. and Mueller, M. J. <u>Shin Splints and Forefoot Contact Running: A Case Report.</u> <i>The Journal of Orthopaedic & Sports Physical Therapy</i> 8/1/94; 20, 2, pp 98-102.
	28	Conti, S. F., Martin, R. L., Chaytor, E. R., Hughes, C. and Luttrell, L. <u>Plantar Pressure Measurements During Ambulation in Weightbearing Conventional Short Leg Casts and Total Contact Casts.</u> <i>Foot & Ankle</i> 8/1/96; 17, 8, pp 464-469.
	29	Cooper, P. S., Leone, D., B., T. and Nowak, M., D. <u>Mechanical Quantification of Diabetic Ankle Foot Orthosis for Ulcer Reduction Potential in the Diabetic Patient.</u> <i>Advances in Bioengineering, ASME</i> 1/1/95; 31, pp 79-80.
	30	Corbett, M. L. Abramowitz, A. J., Fowble, C. D., Rask, B. and Whitelaw, G. P. <u>In-Shoe Plantar Pressure Measurement of the First Metatarsophalangeal Joint in Assymptomatic Patients.</u> <i>Foot & Ankle</i> 11/30/93; 14, 9, pp 520-524.
	725	Crews, Ryan T. <u>Pressure and Activity Level in the Development of Diabetic Foot Ulcers.</u> <i>Podiatry Management</i> June/July 2007; 26, 5, pp 101-104.
	280	Croome, J. C. S. Reymondes, E., Docampo, L. E., Carril, E. and Zavala, O. <u>Plantar Pressure Analysis in Rehabilitation of Hemiplegia Patients,</u> pp 1-13.
	31	D'Amico, J. <u>The F-Scan System with EDG Module for Gait Analysis in the Pediatric Patient.</u> <i>Journal of the American Podiatric Medical Association</i> 4/1/98; 88, 4, pp 166-175.
	643	Dananberg, H. and Curran, Sarah A. <u>Future of Gait Analysis: A Podiatric Medical Perspective.</u> <i>Journal of the American Podiatric Medical Association</i> March/April 2005, pp 130-142.
	625	Danaberg, H. <u>Breakthroughs in Orthotic Fitting.</u> <i>OrthoKinetic Review</i> July/August 2004, pp. 30-32.
	472	Dananberg, H. <u>Can In-Shoe Pressure Analysis Reinvent Orthotics?</u> <i>Podiatry Today</i> , February 2001, 14, 2; pp 27-28.
	189	Dananberg, H. J. and Trachtenberg, G. C. <u>High Heel Design Puts Less Pressure on Forefoot.</u> <i>Biomechanics</i> February 2000; 11, 2, pp 75-80.
	32	Deaver, T. <u>Nature and Use of the F-Scan Gait Analysis System N.</u> <i>New York College of Podiatric Medicine</i> 4/1/99; 1, 1, pp 32-33.
	33	Donaghue, V. M. and Veves, A. <u>Foot Pressure Measurement.</u> <i>Orthopaedic Physical Therapy Clinics of North America</i> 3/1/97; 6, 1, pp 1-16.
	85	Donaghue, V. M., M. R. Sarnow, et al. <u>Longitudinal In-Shoe Foot Pressure Relief Achieved by Specially Designed Footwear in High Risk Diabetic Patients,</u> <i>Diabetes Research and Clinical Practice</i> 1996, 31; pp 109-114.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
In-Shoe Plantar Pressure & Gait Analysis	693	Dilulio, Renee. <u>Sole Success</u> . <i>PT Products</i> , June 2006, pp. 12-18.
	34	Esquenazi, A., Keenan, M. <u>Gait Analysis</u> . <i>Rehabilitation Medicine, Principals and Practice</i> 1993.
	276	Fitzgerald, B. <u>New Technology Speeds Up Diagnoses of Foot Disorders</u> . Boston University February 27; pp 1-3.
	752	Foster, Jordana Bieze. <u>Impulse Ratio Data Favor Multi-Axis Ankles</u> . <i>BioMechanics</i> , May 2006; p. 13.
	37	Frederick, E. C. and Hartner, K. P. <u>The Evolution of Foot Pressure Measurements</u> . <i>Sensors Magazine</i> 6/1/93; pp 30-35.
	90	Frykberg, R. et al; <u>Offloading Properties of a Rocker Insole</u> . American Diabetes Association 58th Scientific Sessions January 2002; 92, 1; pp 48-53.
	39	Frykberg, R. G. <u>Team Approach Toward Lower Extremity Amputation Prevention In Diabetes</u> . <i>Journal of the American Podiatric Medical Association</i> 7/1/97; 87, 7, pp 305-312.
	40	Frykberg, R. G., L. A. Lavery, et al. <u>Role of Neuropathy and High Foot Pressures in Diabetic Foot Ulceration</u> . <i>Diabetes Care</i> . 21, pp 1714-1719.
	649	Garrow PhD, Adam P.; van Schie PhD, Carine H.M.; Boulton M.D., Andrew J.M. <u>Efficacy of Multilayered Hosiery in Reducing In-Shoe Plantar Foot Pressure in High-Risk Patients With Diabetes</u> . <i>Diabetes Care</i> . August 2005, pp. 2001-2005.
	515	Goldman, R. and Salcido, R. <u>More than One Way to Measure a Wound: An Overview of Tools and Techniques</u> . <i>Advances in Skin & Wound Care</i> . September/October 2002, pp. 236-243.
	869	Groner, C. <u>Pressure Treatment: Dynamic Data Guide Orthotic Therapy</u> . <i>Lower Extremity Review</i> . September 2010, pp 22-26.
	719	Han, T.R., Paik, N.J., Im, M.S. <u>Quantification of the Path of Center of Pressure (COP) using an F-Scan In-Shoe Transducer</u> . <i>Gait and Posture</i> . 1999, pp. 248-254.
	720	Hayes, Shane. <u>Athletic Technology Shapes More Footwear (Part One)</u> . <i>CP - Current Pedorthics</i> . August/September 2006; Vol. 38, No. 9, pp. 6, 8, & 23.
	721	Hayes, Shane. <u>Altheric Fusion, Part 2: The Making of an Athletic Fusion Shoe (Part Two)</u> . <i>CP - Current Pedorthics</i> . October/November 2006; Vol. 38, No. 10, pp. 8, 9, 10, & 61.
	190	Haynie, S. and Blair, K. <u>Walking with A Safer Step</u> . <i>Advance for Directors in Rehabilitation</i> January 1999; p 63.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>In-Shoe Plantar Pressure & Gait Analysis</i>	715	Herring, Kirk M. <u>Pertinent Pearls on Treating Overuse Injuries in Endurance Athletes.</u> <i>Podiatry Today</i> , April 2007; pp. 92-96.
	518	Hsiao, Hongwei, Guan, Jinhua, and Weatherly, Matthew. <u>Accuracy and Precision of Two In-shoe Pressure Measurement Systems.</u> <i>Ergonomics</i> , 2002, Vol. 45, No. 8, pp. 537-555.
	503	Imamura, M., Imamura, S.T., Salomao, O., et al. <u>Pedobarometric Evaluation of the Normal Adult Male Foot.</u> <i>Foot & Ankle International</i> . 09/2002, p. 804-809.
	43	Imamura, M., Salomao, O. <u>Prevention of Plantar Ulceration's Recurrence in Insensate Feet.</u> <i>Archives of Physical Medicine and Rehabilitation</i> 11/1/95.
	712	Ishii, K., Noyori, K., Inaba, Y., Nakashima, K., Kobayashi, N., Saito, T. <u>Analysis of Plantar Pressure after Total Hip Arthroplasty using F-Scan System.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	622	Jackson, L., J. Binning, and J. Potter, <u>Plantar Pressures in Rheumatoid Arthritis Using Prefabricated Metatarsal Padding.</u> <i>Journal of the American Podiatric Medical Association</i> , 2004. 94(3): p. 239 - 245.
	3	Johnson, H. and Schiffman, R. <u>How To Feel A Tour Pro's Foot Pressure.</u> <i>Golf Digest</i> Feb-92; 1/1/92, p 62.
	197	Jong Paik, N. and Sik Im, M. <u>The Path of Center of Pressure of the Foot During Walking.</u> <i>Journal of Korean Academy of Rehabilitation Medicine</i> August 1997; 21, 4, p 762.
	1020	Kearney, R. S., S. E. Lamb, et al. (2011). <u>In-Shoe Plantar Pressures Within Ankle-Foot Orthoses: Implications for the Management of Achilles Tendon Ruptures.</u> <i>The American Journal of Sports Medicine</i> .
	596	Kirtley, C., <u>Efficiency of Gait.</u> Catholic University of America, 2003.
	673	Kumar, V., Maru, M., Attar, F., Adedapo, AO. <u>Plantar Foot Pressure Study using the F-Scan Pedobarograph: Comparison of Normal with Hallux Rigidus and Metatarsalgia.</u> <i>Journal of Bone & Joint Surgery (Br)</i> , 2006. Vol No 88-B.
	324	Langer Biomechanics Group. <u>Two Intelligent Systems Made Better Winter/Spring</u> , 1995, pp 1, 8.
	46	Lavery, L., Lavery, D. and Quebedeaux - Farnham, T. L. <u>Increased Foot Pressures After Great Toe Amputation in Diabetes.</u> <i>Diabetes Care</i> 11/1/95; 18,11, pp 1460-1462.
	446	Lawless, M. W., G. T. Reveal, et al. <u>Foot Pressures During Gait: A Comparison of Techniques for Reducing Pressure Points.</u> <i>Foot & Ankle International</i> 2001. Vol No 22(7), pp 594-597.
	748	Lennon, N., Coleman, S., Church, C., Henley, J., Angeli, T., Miller, F. <u>Tracking Dynamic Foot Pressure Patterns in Young Children with Spastic Cerebral Palsy.</u> 1st Joint ESMAC - GCMAS Meeting. 2006. Amsterdam, Netherlands.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>In-Shoe Plantar Pressure & Gait Analysis</i>	655	Lennon, N.; Coleman, S.; Church, C.; Miller, F. <u>Dynamic Foot Pressure in the Early Evolution of Foot Deformities for Children with Spastic Cerebral Palsy</u> . Gait & Clinical Movement Analysis Society 2005; Portland, OR.
	468	Leung, A. K. L., J. C. Y. Cheng, et al. <u>Calculation of Contact Area Ratio Using Dynamic Footprint</u> . <i>Orthopadie Technik</i> , Jan 2001; pp 7-10.
	651	Levine, David, <u>A Closer Look at Case Studies in Gait Analysis</u> . <i>Podiatry Today</i> , August 2005, pp. 66-72.
	443	Levitz, S. J. and E. Sobel. <u>Pressure Analysis of the Foot in Gait</u> . <i>Podiatry Management</i> , 2000; pp 87-88, 92-96.
	48	Lord, M. <u>Spatial Resolution in Plantar Pressure Measurement</u> . <i>Med. Eng. Phys.</i> 3/1/97; 19, pp 140-144.
	49	Lord, M., Hosein, R. and Williams, R. B. <u>Method For In-Shoe Shear Stress Measurement</u> . <i>Journal Biomed. Eng.</i> 1/1/92; 14, pp 181-186.
	593	Macfarlane, D., J. and J. Jensen, L., <u>Factors in Diabetic Footwear Compliance</u> . <i>Journal of the American Podiatric Medical Association</i> , 2003. 93(6): p. 485-491.
	694	Mehrotra, Tanuja. <u>If the shoe fits... it may be thanks to gait analysis</u> . <i>2006 Biomechanics Desk Reference</i> , December 2005; XII(12): p. 164.
	109	Mizumura, T. Momohara, S. and Inoue, K. <u>Plantar Pressure At Walking In Patients With Rheumatoid Arthritis</u> . 44th Annual Meeting, Orthopaedic Research Society, New Orleans, LA. Institute of Rheumatology, Tokyo Woman's Medical College 3/16/98.
	52	Mueller, M. J. and Strube, M. J. <u>Generalizability of In-Shoe Peak Pressure Measurement Using the F-Scan System</u> . <i>Clinical Biomechanics</i> 1/1/96; 11, 3, pp 159-164.
	50	Mueller, M. J. <u>Etiology, Evaluation, and Treatment of the Neuropathic Foot</u> . <i>Critical Reviews in Physical and Rehabilitation Medicine</i> 1/1/92; 3, 4, pp 289-309.
	513	Mueller, M.J., Hastings, M., Commean, P.K., et al. <u>Forefoot Structural Predictors of Plantar Pressures During Walking in People with Diabetes and Peripheral Neuropathy</u> . IV World Congress Biomechanics, Calgary, August 4 - 9, 2002.
	675	Mueller, M.J., Lott, D., Hastings, M., Commean, P., Smith, K., Pilgram, T. <u>Efficacy and Mechanism of Orthotic Devices to Unload Metatarsal Heads in People with Diabetes and a History of Plantar Ulcers</u> . <i>Physical Therapy</i> June 2006; 86, 6, pp 833-842.
	110	Mueller, M. J. Sinacore, D. R. and Hoogstrate, S., Daly, L. <u>Hip Walking Strategies: Effect on Plantar Pressures: Implications For Neuropathic Ulceration</u> . Program in Physical Therapy, Washington University School of Medicine, St. Louis, MO, Physical Therapy 5/1/94; 74, 5 (Supplement), pp S97.
	51	Mueller, M. J. <u>Use of an In-Shoe Pressure Measurement System in the Management of Patients with Neuropathic Ulcers or Metatarsalgia</u> . <i>JOSPT</i> 6/1/95; 21, 6, pp 328-336.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>In-Shoe Plantar Pressure & Gait Analysis</i>	684	Mueller, M.J., Zou, D., Lott, D. <u>Effect of Peak Pressure and Pressure Gradient on Subsurface Shear Stresses in the Neuropathic Foot.</u> <i>Journal of Biomechanics</i> March 2006; pp 1-8.
	681	Mueller, M.J., Zou, D., Lott, D. <u>"Pressure Gradient" as an Indicator of Plantar Skin Injury.</u> <i>Diabetes Care</i> December 2005; 28, 12; pp 2908-2912.
	53	Murphy, J. <u>Inside Industry; Tekscan offers Computer -Aided Observation for Gait Analysis.</u> <i>Advance Magazine for Physical Therapists</i> 11/8/93; p 24.
	457	<u>New System at the Capitol Hill Foot Zone Looks Good for Runners.</u> <i>Northwest Runner</i> , 2000, October: p. 7.
	690	Nguyen, Hienvu. <u>Diabetic Shoe and Insole Stress Reduction for Ulcer Care.</u> <i>BioMechanics</i> , April 2006; pp.63-66.
	54	Novick, A., et al. <u>Reduction of Plantar Pressure with the Rigid Relief Orthosis.</u> <i>Journal of the American Podiatric Medical Association</i> 1993.
	112	Nowak, Cooper, P. S. and Abu-Hasaballah, K. S. <u>Plantar Ulceration Reduction Ankle-Foot Orthoses: Subject - Brace Contact Pressure Evaluation During Activities of Daily Living And Finite Element Modeling To Reduce Weight.</u> 44th Annual Meeting, Orthopaedic Research Society, New Orleans, Louisiana. University of Hartford, West Hartford, CT. 3/16/98.
	377	Nowak, M. D. and P. S. Cooper. <u>Design Enhancement of a Solid Ankle-Foot Orthosis: Real -Time Contact Pressures Evaluation.</u> <i>VA Research & Development</i> 2000, 37, 3; pp 1-11.
	546	Pace, Larry, <u>Gait Way to Revenue.</u> <i>Physical Therapy Products</i> , January/February 2003: p. 28-32.
	1030	Park, K. B., H. W. Park, et al. (2008). <u>Changes in dynamic foot pressure after surgical treatment of valgus deformity of the hindfoot in cerebral palsy.</u> <i>J Bone Joint Surg Am</i> 90(8): 1712-1721.
	1031	Park, K. B., H. W. Park, et al. (2008). <u>Surgical treatment of calcaneal deformity in a select group of patients with myelomeningocele.</u> <i>J Bone Joint Surg Am</i> 90(10): 2149-2159.
	680	Paton, J., Spooner, K. <u>Effect of Extrinsic Rearfoot Post Design on the Lateral-to-Medial Position and Velocity of the Center of Pressure.</u> <i>Journal of the American Podiatric Medical Association</i> , September/October 2006. 96(5), pp. 383-392.
	771	Paton, Joanne; Stenhouse, Elizabeth; Jones, Ray; Bruce, Graham. <u>Custom-made total contact insoles and prefabricated functional diabetic insoles: A case report.</u> <i>The Diabetic Foot Journal</i> , Autumn 2007, pp. 138-143.
	7	Payne - Herbold, J. <u>Using Computerized Foot Scan.</u> <i>Advance Magazine for Physical Therapists</i> (Honorable Mention) 11/9/92.
	362	Pham, H. T. and P. Smakowki (2000). <u>Under The Surface: F-Scan Helps Patients with Diabetes Manage Foot Ulcers.</u> <i>Advance for Directors in Rehabilitation</i> October 2002, pp 77.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>In-Shoe Plantar Pressure & Gait Analysis</i>	269	Pham, H. T. and Smakowski, P. <u>The F-Scan in Management of Diabetic Patients with High Risk for Neuropathic Ulceration</u> . Beth Israel Deaconess Medical Center, Deaconess-Joslin Foot Center, Boston, MA.
	8	Pinzur, M. S. and Vogel, E. C. <u>Running Shoes: Do They Lose Shock Absorption with Wear?</u> . <i>Biomechanics</i> 5/1/98; 5,5, pp 61-63.
	117	Pitei, D. L., Edmonds, M. E. E., Lord, M. and Watkins, P. J. <u>F-SCAN - A New Method of In-Shoe Dynamic Measurement of Foot Pressures</u> . Diabetic Department and Medical Engineering and Physics Department, King's College Hospital London.
	186	Pitei, D. L., Lord, M., Foster, A., Wilson, S., Watkins, P. and Edmonds, M. E. <u>Plantar Pressures are Elevated in the Neuroischemic and the Neuropathic Diabetic Foot</u> . <i>Diabetes Care</i> December 1999, 23, 12; pp 1966-1970.
	410	Polizos, T. <u>Pressure Sensitive: Tekscan Can Prevent Ulcerations in the Diabetic Population</u> , <i>Advance for Directors in Rehabilitation</i> , 2001; 10, 5; pp 77.
	328	Randolph, A. L., Nelson, M., Akkapeddi, S., Levin, A. and Alexandrescu, R. <u>Reliability of Measurements of Pressures Applied on the Foot During Walking by A Computerized Insole Sensor System</u> . <i>Archives of Physical Medicine and Rehabilitation</i> May 2000; 81, 5, pp 573-578.
	239	Randolph, A. L., Nelson, M., deAraujo, M. P., Perez-Millan, R. and Wynn, T. T. <u>Use of Computerized Insole Sensor System to Evaluate the Efficacy of a Modified Ankle-Foot Orthosis for Redistributing Heel Pressures</u> . <i>Archives of Physical Medicine and Rehabilitation</i> July 1999; 80, pp 801-804.
	120	Rash, G. S. and P. M. Quesada. <u>Static Assessment of Pedar and F-Scan Inshoe Pressure Sensors</u> . Revisited Gait and Biomechanics Lab., Frazier Center, Louisville, KY & Department of Mechanical Engineering, University of Louisville, Louisville, KY. 1997.
	12	Reichley, M. L. <u>High-Tech Gait Analysis Enhances PT's Skills</u> . <i>Advance Magazine for Physical Therapists</i> 5/16/94; pp 24-25.
	741	Riad, J., Coleman, S., Henley, J., Miller, F. <u>Reliability of Pediobarographs for Paediatric Foot Deformity</u> . 1st Joint ESMAC - GCMAS Meeting. 2006. Amsterdam, The Netherlands.
	13	Rose, N.E. et al. <u>A Method for Measuring Foot Pressures Using a High Resolution, Computerized Insole Sensor: The Effect of Heel Wedges on Plantar Pressure Distribution and Center of Force</u> . <i>Foot & Ankle</i> 1992.13; pp 263-270.
	100	Saltzman, C.L., Johnson, K.A., Goldstein, R.H., and Donnelly, R.E. <u>Patellar Tendon Bearing Brace as Treatment of Neurotrophic Arthropathy: A Dynamic Force Monitoring Study</u> . <i>Foot and Ankle</i> February 1992.
	15	Sarnow, M., Veves, A., Giurini, J., Rosenblum, B., C., J. and Habershaw, G. <u>In-Shoe Foot Pressure Measurements in Diabetic Patients With At-Risk Feet and in Healthy Subjects</u> . <i>Diabetes Care</i> 9/1/94; 17, p 9.
	672	Scherer, P., Sanders, J., Eldredge, D., Duffy, S., Lee, R. Effect of Functional Foot Orthoses on First Metatarsophalangeal Joint Dorsiflexion in Stance and Gait. <i>Journal of the American Podiatric Medical Association</i> November/December 2006; pp 474-481.
	778	Scherer, Paul. <u>Understanding The Biomechanical Effects Of Hallux Limitus</u> . <i>Podiatry Today</i> , August 2007, pp. 62-67.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>In-Shoe Plantar Pressure & Gait Analysis</i>	357	Smith, R. <u>Gait-way to Fee-For-Service</u> . <i>Podiatric Products</i> Sept/Oct 2000; pp 14-17.
	333	Smith, R. <u>Walk This Way</u> . <i>Podiatric Products</i> January/February 2000; pp 14-17.
	783	Smith, Rich. <u>Walking Toward Recovery</u> . <i>Physical Therapy Products</i> . May 2008; pp 12-15.
	361	Sol, N. <u>Using In-Shoe Pressure Analysis for Orthotic Accuracy</u> . <i>Current Pedorthics</i> , Aug/Sept 2000, 6; pp10,31.
	763	Spencer, Scott. <u>Current Insights on Custom and Prefabricated Foot Orthoses</u> . <i>Podiatry Today</i> , December 2007, pp. 30-35.
	61	Stewart, D. J. and Berezowski, B. <u>Ulceration Risk of a Charcot foot: F-Scan In-Shoe Plantar Pressure Analysis. Barefoot Versus Orthosis and Shoe</u> . <i>The Canadian Association of Prosthetists and Orthotists Yearbook</i> 12/31/93.
	62	Sutherland, D.H. <u>Varus Foot in Cerebral Palsy: An Overview & The Diplegic Child , Evaluation and Management</u> . <i>The Diplegic Child, AAOS Publishers; Evaluation Management</i> 1992.
	125	Tam, E., Leung, K. S., Evans, J. H. and Tsui, H. <u>Post-Operative Effect of Calcaneal Fracture- an Evaluation Using Dynamic Plantar Pressure</u> . Analyses Dept. of Orthopaedics & Traumatology, Chinese University of Hong Kong. Rehabilitation Engineering Centre, Hong Kong Polytechnic University. Hong Kong Orthopaedic Assoc. 17th Annual Congress 11/15/97.
	128	Tekscan and Warnick. <u>F-Scan System Accuracy & Repeatability Study</u> . March 1995.
	632	Thies, S. and J. Ashton-Miller (2004). <u>What Causes a Cross-Over Step when Walking on Uneven Ground? A study in Healthy Young Women</u> . American Society of Biomechanics, Portland, OR, September 8-11, 2004.
	464	Trachtenberg, G. C. <u>F-Scan Business Model</u> , <i>Podiatry Management</i> , October 2001, p 124.
	308	Tradati, A. <u>Speciale Test Trekking</u> . <i>Outdoor Montebianco</i> 1999.
	777	Tranberg, R., Zügner, R., Wensby, L., Millesten, B., Kärrholm, J. <u>How does two custom moulded insoles influence the diabetic patient. A comparison between insoles in different stiffness's</u> . 12th World Congress of the International Society for Prosthetics and Orthotics, Vancouver, Canada, July 29 –August 3, 2007.
	129	Tremaine, M. D., Banco, S. P., Hayda, R., D124Rayman, M., Teed, K. C. and Tremaine, K. <u>The Effect of Metatarsal Pads and their Positioning: A Quantitative Assessment</u> . Anderson Orthopaedic Research Institute, Arlington, VA 2/9/93.
	304	Tsai, Y.-S. <u>The Effects of Wearing Platform Shoes on Foot Pressure in Women</u> . New York 1999, pp 1-20.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>In-Shoe Plantar Pressure & Gait Analysis</i>	207	Veves, A. and Donaghue, V. M. <u>Pressure Assessment Methods in The Foot</u> . Boston, MA pp 1-32.
	131	Veves, A., Lyons, T. E. and Habershaw, G. M. <u>Foot Pressure Reduction with Specially Designed Footwear in Diabetic Patients at Risk of Foot Ulceration</u> . American Diabetes Association, 54th Annual Meeting & Scientific Sessions, New Orleans, LA 6/11/94.
	63	Veves, A., R. Saouaf, et al. <u>Aerobic Exercise Capacity Remains Normal Despite Impaired Endothelial Function in the Micro-and Macrocirculation of Physically Active IDDM Patients</u> . <i>Diabetes Care</i> , 1997; 46; pp 1846-1852.
	64	Veves, A., Sarnow, M. R., Giurini, J. M., Rosenblum, B. I., Lyons, T. E., Chrzan, J. S. and Habershaw, G. M. <u>Differences in Joint Mobility and Foot Pressure Between Black and White Diabetic Patients</u> . <i>Diabetic Medicine</i> 1/1/95; 12, pp 585-589.
	145	Walter, J. H.; Ng, G.K. <u>The Evaluation of Cleated Shoes with the Adolescent Athlete in Soccer</u> . <i>The Foot</i> , 2002. 12: p. 158-165
	592	Ward, E., et al., <u>In Vivo Forces in the Plantar Fascia During the Stance Phase of Gait</u> . <i>Journal of the American Podiatric Medical Association</i> , 2003. 93(6): p. 429-442.
	237	Wilford, A. <u>Does Softness Equal Comfort?</u> <i>SATRA</i> May, 1999, pp 2-3.
	722	Williams, Bruce. <u>High-Tech Evaluation of the Athlete</u> . <i>Podiatry Management</i> , February 2007: pp 67-74.
	671	Williams, B. and Yakel, J. <u>Clinical Uses of In-Shoe Pressure Analysis in Podiatric Sports Medicine</u> . <i>Journal of the American Podiatric Medical Association</i> , 2007. 97(1): p. 49-58.
	604	Williams, B., <u>In-Shoe Insights</u> . <i>OrthoKinetic Review</i> , 2004: p. 30-32.
	66	Young, C. R., <u>The F-Scan System of Foot Pressure Analysis</u> . <i>Clinics In Podiatric Medicine And Surgery</i> 7/1/93; 10, 3, 455-461.
	585	Zhang, S., et al. <u>Longitudinal Characteristics of Plantar Pressure Measurements of a Running Shoe</u> . Presented at American Society of Biomechanics. 2003. Toledo, OH.
	364	Zimny, S., B. Reinsch, et al. <u>Effects of Felted Foam on Plantar Pressures in the Treatment of Neuropathic Diabetic Foot Ulcers</u> . <i>Diabetes Care</i> December 2001; 24, 12; pp 2153-2154.
<i>Joint Research</i>	582	Agins, H., et al., <u>Effects of Sterilization on the Tekscan Digital Pressure Sensor</u> . <i>Medical Engineering & Physics</i> , 2003.
	677	Agneskirchner, J.D., Hurschler, C., Stukenborg-Colsman, C., Imhoff, A.B., Lobenhoffer, P. <u>Effect of High Tibial Flexion Osteotomy on Cartilage Pressure and Joint Kinematics: a Biomechanical Study in Human Cadaveric Knees</u> . <i>Arch Orthop Trauma Surg</i> , 2004; 124: pp 575-584.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>Joint Research</i>	620	Anderson, I., et al., <u>A Novel Method for Measuring Medial Compartment Pressures Within the Knee Joint In-Vivo</u> . <i>Journal of Biomechanics</i> , 2003. 36(9): p. 1391-1395.
	713	Anglin, C., Brimacombe, J., Wilson, D., Masri, B., Greidanus, N., Tonetti, J., Hodgson, A. <u>Intraoperative vs Weightbearing Flexion Ex Vivo: Comparison of Patellar Mechanics</u> . 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	151	Arizono, T., Emoto, G., and Whiteside, I.A. <u>Effect of Malrotation on Tibiofemoral Articular Contact Pressure and Kinematics with A Conforming Tibial Articulation in Total Knee Replacement</u> . 45th Annual Meeting, Orthopaedic Research Society, Anaheim, CA, 1999.
	193	Bachus, K.N., Brodke, D.S., Gollogly, S., and Mohr, R.A. <u>Dynamic Cervical Plates: Does Load Sharing Cause Instability</u> . Orthopaedic Research Society, Orlando, FL, Orthopaedic Bioengineering Research Laboratory, University of Utah, 2002.
	363	Bai, B., F. J. Kummer, et al. (2001). <u>Effect of Articular Step-off and Meniscectomy on Joint Alignment and Contact Pressures for Fractures of the Lateral Tibia Plateau</u> . <i>Journal of Orthopaedic Trauma</i> , 2, pp 101-106.
	699	Balasubramanian, S., Demetropoulos, CK., Bilkhu, SK., Sohn, DH., Guettler, J., Jurist, K., Yang, KH. <u>Knee Kinematics and Tibiofemoral Contact Pressure Measurements in Normal, PCL Deficient and PCL Reconstructed Knees</u> . 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	667	Beck, Paul R.; Thomas, Andre L.; Farr, Jack; Lewis, Paul B.; Cole, Brian J. <u>Trochlear Contact Pressures After Anteromedialization of the Tibial Tubercle</u> . <i>American Journal of Sports Medicine</i> , November 2005, Vol. 33, No. 11, pp 1710 - 1715.
	576	Blakemore, D., R. Allard, and D. Levine, <u>Contact Area and Stress Measurement Utilizing Tekscan for a Sublexed Glenoid Component Under Simulated Loading Conditions</u> . <i>Biomaterials</i> , 2000.
	494	Blakemore, D.M. and D. Levine. <u>Comparison of Methods to Measure Contact Stresses in UHMWPE</u> . SEM Conference. 2000.
	648	Brimacombe, Jill M., Anglin, Carolyn, Hodgson, Anthony J., Wilson, David R. <u>Validation of Calibration Techniques for Tekscan Pressure Sensors</u> . ISB XXth Congress - ASB 29th Annual Meeting, Cleveland, OH, 2005.
	810	Brimacombe, Jill M., Wilson, David R., Hodgson, Anthony J., Ho, Karen C.T.; Anglin, Carolyn (2009). <u>Effect of Calibration Method on Tekscan Sensor Accuracy</u> . <i>Journal of Biomechanical Engineering</i> 131.
	75	Booth, R. E., Sutton, D.C., and Hershberger, T. <u>Computerized Bio-Sensor Analysis of Total Knee Arthroplasty</u> . The Knee Society Scientific Meeting, New Orleans, 2/27/94.
	76	Caputo, A. E., Mazzocca, A. D. and Nowak, M. D. <u>Joint Contact Patterns Of The Radiocapitellar Joint With Forearm Rotation In A Cadaveric Model</u> . 44th Annual Meeting, Orthopaedic Research Society, New Orleans, LA. University of Connecticut Health Center, Farmington, CT. 3/16/98.
	488	Conditt, M., et al. <u>Effect of Notchplasty Size on Tibiofemoral Contact Area</u> . 48th Annual Meeting, Orthopaedic Research Society. 2002. Dallas.
	82	Cooper, P. S., Nowak, M. D. and Shaer, J., <u>Calcaneocuboid Joint Pressure with Lateral Column Lengthening (Evans) Procedure</u> . <i>Foot & Ankle, Biomechanics Laboratory, Department of Orthopaedic Surgery, University of Connecticut Health Center 18, 4, 4/1/97</i> , pp 199-205.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>Joint Research</i>	704	Cottrell, J., Scholten, P., Kadrmas, W., Peterson, M., Warren, R., Wright, T., Maher, S. <u>Dynamic Contact Mechanics of Intact, Meniscectomized, and Allograft Implanted Knees - A Preclinical Experimental Model.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	426	Davitt, J.S., Beals, T.C., and Bachus, K.N. <u>The Effects of Medical and Lateral Displacement Calcaneal Osteotomies on Ankle and Subtalar Joint Pressure Distribution.</u> <i>Foot & Ankle International</i> November 2001; 22, 11, pp 885-889.
	612	DeFrate, L., et al. <u>Tibiofemoral Joint Kinematics Affect Patellofemoral Joint Contact Pressures.</u> in 50th Annual Meeting of the Orthopaedic Research Society. 2004. San Francisco, CA.
	191	DeMarco, A. L., Rust, D. A. and Bachus, K. N. <u>Measuring Contact Pressure and Contact Area in Orthopedic Applications: Fuji Film vs Tekscan.</u> Orthopaedic Research Society 46th Annual Meeting, Orlando, FL, March 12-15, 2000; p 0518.
	512	Elias, J., Wilson, D., Adamson, R., et al. <u>Experimental Validation of a Computational Model of the Patellofemoral Joint.</u> IV World Congress Biomechanics, Calgary, August 4 - 9, 2002.
	489	Essner, A., A. Wang, and M. Poggie. <u>Crosslinked UHMEPR Subject to Mal-Aligned Knee Wear.</u> 48th Annual Meeting, Orthopaedic Research Society. 2002. Dallas, TX.
	149	Fishkin, Z., Serpe, L., Kester, M.A., Edidin, A., Mahoney, O.M., and Schmalzried, T.P. <u>Maximizing Conformity Without Excess Rotational Constraint in TKA.</u> , Orthopedic Research Society 45th Annual Meeting, Anaheim, CA, Orthopaedic Research Laboratories, 1999.
	710	Fitzpatrick, M., Udall, J., McGarry, M., Leba, T., Lee, T. <u>Medial Ulnar Collateral Ligament Injuries of the Elbow: A Comparison on Stretching and Cutting Models.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	500	Guettler, J.H., et al. <u>Osteochondral Defects In The Human Knee: Influence Of Defect Size On Cartilage Rim Stresses And Load Redistribution To Surrounding Cartilage.</u> in American Academy of Orthopedic Surgeons 69th Annual Meeting (Poster Presentation). 2002. Dallas, TX.
	502	Guettler, J.H., et al. <u>Triad of Varus Malalignment, Meniscectomy, and Chondral Damage: A Biomechanical Explanation For Joint Degeneration Based On Pressure And Force Distribution Within The Medial Knee Compartment.</u> in American Orthopedic Society for Sports Medicine 28th Annual Meeting (Presented). 2002. Orlando, FL.
	700	Hansen, ML., Glousman, RE., Hosseinzadeh, P., Kornswiet, M., McGarry, MH., Tibone, JE., Lee, TQ. <u>The Effect of Rotator Cuff Tear and Repair Site on Glenohumeral Joint Contact.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	709	Hansen, ML., Glousman, RE., Hosseinzadeh, P., Kornswiet, M., McGarry, MH., Tibone, JE., Lee, TQ. <u>Glenohumeral Joint Contact Characteristics in Abduction and Forward Flexion.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	161	Harris, M. L., Morberg, P., Bruce, W.J.M., and Walsh, W.R. <u>An Improved Method for Measuring Tibiofemoral Contact Areas in Total Knee Arthroplasty: A Comparison of K-scan Sensor and Fuji Film.</u> <i>Journal of Biomechanics</i> , vol. 32, 3/22/99, pp 951-958.
	490	Hatrick, C., et al. <u>Should Acute Anterior Dislocation of the Shoulder be Treated in External Rotation.</u> 48th Annual Meeting of the Orthopaedic Research Society. 2002. Dallas, TX.
	492	Hirschler, C., et al. <u>Glenoid Component Loading Patterns in Total Shoulder Arthroplasty: Dependence on Head Component Medial-Lateral Offset and Rotator Cuff Function.</u> 48th Annual Meeting of the Orthopaedic Research Society. 2002. Dallas, TX.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>Joint Research</i>	703	James, K., Lintner, D., Yeh, M., Luo, Z., Lazar, D., Noble, P. <u>Contact Pressure Changes at Osteochondral Graft Donor Sites Following Graft Harvesting: A Predictor of Postoperative Donor Site Morbidity.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	491	Kirking, B., M. Conditt, and C. Parduhn. <u>Validation of Knee Insert Stress During Virtual Testing.</u> 48th Annual Meeting of the Orthopaedic Research Society. 2002. Dallas, TX.
	135	Kirstukas, S.J., <u>Accuracy of Tekscan I-Scan Force Measurements in Repeated Deforming Use.</u> <i>Research Department, National College of Chiropractic, IL.</i>
	610	Laman, B., et al. <u>Tibial and Patellar Component Forces During Kneeling After Total Knee Replacement.</u> in 50th Annual Meeting of the Orthopaedic Research Society. 2004. San Francisco, CA.
	762	Lee, S.J.a , Aadalen, K.J.b , Malaviya, P.c , Lorenz, E.P.d , Hayden, J.K.b , Farr, J.e , Kang, R.W.b , Cole, B.J.b f. <u>Tibiofemoral contact mechanics after serial medial meniscectomies in the human cadaveric knee.</u> <i>American Journal of Sports Medicine</i> , August 2006, pp. 1334-1344.
	707	Limpisvasti, O., Yang, B., Hosseinzadeh, P., Leba, T., Tibone, J., Lee, T. <u>The Effect of Glenohumeral Position Following Traumatic Anterior Dislocation.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	688	McKinley, T., Rudert, J., Koos, D.C., Tochigi, Y., Baer, T.E., Brown, T. <u>Pathomechanic Determinants of Posttraumatic Arthritis.</u> In <i>Clinical Orthopaedics and Related Research #427S</i> ; pp S78-S88.
	702	McKinley, T., Tochigi, Y., Rudert, M., Brown, T. <u>The Effect of Instability on Contact Stress and Contact Rates in Cadaveric Ankles.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	17	Mag, S., <u>Sensor Measures Forces in Knee Implants.</u> <i>Design News, Engineering News</i> 6/13/94; p 55.
	611	Matsuda, S., et al. <u>Contact Stress Analysis at the Post-Cam Mechanism in Posterior Stabilized Total Knee Arthroplasty.</u> in 50th Annual Meeting of the Orthopaedic Research Society. 2004. San Francisco, CA.
	106	Matsuda, S., Ishinishi, T., McCarthy, D., and Whiteside, L. <u>Contact Stresses With an Unresurfaced Patella in Total Knee Arthroplasty: The Effect of Femoral Component Design.</u> 63rd Annual Meeting, American Academy of Orthopaedic Surgeons 2/22/96.
	107	Matsuda, S., Williams, V.G., Whiteside, L.A., and White, S.E. <u>A Comparison of Pressure Sensitive Film and Digital Electronic Sensors To Measure Contact Area And Contact Stress.</u> 41st Annual Meeting, Orthopaedic Research Society 2/13/95.
	578	Matsuda, S., L. Whiteside, and T. Ishinishi, <u>Effect of Patellar Meniscus on Patellofemoral Contact Stress in Total Knee Arthroplasty.</u> <i>The Journal of Arthroplasty</i> , 1998. 13(6): p. 722-727.
	577	Matsuda, S., et al., <u>Knee Kinematics of Posterior Cruciate Ligament Sacrificed Total Knee Arthroplasty.</u> <i>Clinical Orthopaedics and Related Research</i> , 1997. 341: p. 257-266.
	579	Matsuda, S., et al., <u>Patellofemoral Joint After Total Knee Arthroplasty.</u> <i>The Journal of Arthroplasty</i> , 1997. 12(7): p. 790-796.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>Joint Research</i>	708	Mihata, T., McGarry, M., Kinoshita, M., Lee, T. <u>Anterior Capsular Laxity May Result in Pathologic Shoulder Internal Impingement: A Cadaveric Study.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	886	Mulcahey, MK, et al. (2011). <u>Effects of single-bundle and double-bundle ACL reconstruction on tibiofemoral compressive stresses and joint kinematics during simulated squatting.</u> The Knee. 2011. Providence, RI.
	113	Ochoa, J. A., Sommerich, R. E. and Zalenski, E. B. <u>Application of an Innovative Experimental Method To Characterize Contact Mechanics of Total Joint Replacements.</u> 9th Annual Meeting, Orthopaedic Research Society 2/15/93.
	706	Ogden, S., Mukherjee, DP., Keating, EM., Odgen, AL., Robinson, E., McCall, R. <u>Load Distribution in Knees after Opening of Closing Wedge High Tibial Osteotomy.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	714	Ostermeier, S., Fobbe, A., Krakow, N., Hurschler, C., Stukenborg-Colsman, C. <u>Dynamic In-Vitro Measurement of Tibiofemoral Contact Point after Posterior Cruciate Retaining and Substituting Total Knee Arthroplasty.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	705	Ostermeier, S., Holst, M., Hurschler, C., Bohnsack, M., Stukenborg-Colsman, C. <u>Dynamic In-Vitro Measurement of Patellofemoral Pressure After Lateral Retinacular Release.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	192	Ostermeier, S., Stukenberg-Colsman, C., Wenger, K., and Wirth, C. <u>Dynamic In Vitro Comparison of Tibiofemoral Contact Stress after TKA with Fixed and Mobile Bearing Inlay.</u> Orthopaedic Research Society 2/12/2000.
	835	Stukenborg-Colsman, C. O., Sven; Hurschler, Christof; Wirth, Carl (2002). Tibiofemoral contact stress after total knee arthroplasty - Comparison of fixed and mobile-bearing inlay designs. 73: 638-646.
	152	Otto, J.K., Brown, R.D., Heiner, A.D., and Callaghan, J.J. <u>Heredity Integral Drift Compensation in Piezoresistive Contact Stress Sensors.</u> 45th Annual Meeting, Orthopaedic Research Society February 1-4, 1999.
	114	Otto, J.K., Brown, T.D., Heiner, A.D., Pedersen, D.R., and Callaghan, J.J. <u>Characterization Of The Dynamic Response Of A Piezoresistive Contact Stress Sensor.</u> 44th Annual Meeting, Orthopaedic Research Society 3/16/98.
	609	Papaoannou, G., et al. <u>Osteochondral Defects in the Human Knee with Evaluation of Defect Size on Cartilage Rim Stress: In-Situ Study for Finite Element Model Validation.</u> in 50th Annual Meeting of the Orthopaedic Research Society. 2004. San Francisco, CA.
	608	Papaoannou, G., et al. <u>Validation of a Subject Specific Finite Element Model of the Human Knee Developed For In-Vivo Tibio-Femoral Contact Analysis.</u> in 50th Annual Meeting of the Orthopaedic Research Society. 2004. San Francisco, CA.
	493	Parks, B., Sparks, N., and Stroud, C. <u>Contact Pressures Before And After Repair Of An Osteochondral Lesion Of The Anterolateral Dome Of The Talus.</u> 48th Annual Meeting, Orthopaedic Research Society, 2/10/02.
	115	Pavlovic, J.L., Takahashi, Y., Bechtold, J.E., Gustilo, R.B., and Kyle, R.F. <u>Can The Tekscan Sensor Accurately Measure Dynamic Pressures In The Knee Joint?</u> 17th Annual Meeting, American Society of Biomechanics 10/21/91.
	701	Peltier, KE., McGarry, MH., Tibone, JE. <u>Balanced Repair of the IGHLC for Anterior Glenohumeral Instability: A Biomechanical Study.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>Joint Research</i>	751	Ramappa, A., Apreleva, M., Harrold, F., Fitzgibbons, P., Wilson, D., Gill, T. <u>The Effects of Medialization and Anteromedialization of the Tibial Tubercle on Patellofemoral Mechanics and Kinematics.</u> <i>The American Journal of Sports Medicine</i> , 2006. 34(5): pp. 749-756.
	614	Reach, J., et al. <u>Off-Loading of the Medial Compartment of the Knee Using Implanted Magnets.</u> in 50th Annual Meeting of the Orthopaedic Research Society. 2004. San Francisco, CA.
	696	Reese, K., Leba, T., McGarry, M., Ross, SDK., Lee, TQ. <u>Biomechanical Effects of Graft Shape for Lateral Column Lengthening.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	153	Rulkoetter, P.J., Gabriel, S.M., Colleran, D.P., and Zalenski, E.B. <u>The Relationship Between Contact Stress and Contact Area with Implications for TKR Evaluation and Design.</u> 45th Annual Meeting, Orthopaedic Research Society February 1-4, 1999.
	698	Shani, RH., Dewan, AK., Kulkarni, N., Ismaily, SK., Conditt, MA., Noble, PC. <u>What are the Contact Stresses in the Knee in Deep Flexion?</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	365	Short, W. H. et al. <u>A Dynamic Biomechanical Study of Scapholunate Ligament Sectioning.</u> <i>The Journal of Hand Surgery</i> 1995.
	615	Stubbs, D., et al. <u>Increasing Tendon-Bone Contact Area and Pressure with a New Device.</u> in 50th Annual Meeting of the Orthopaedic Research Society. 2004. San Francisco, CA.
	514	Thambyah, A., Goh, J., and Das De, S. <u>Are the Articular Contact Stresses in the Knee Joint During Deep Flexion Critical?</u> IV World Congress Biomechanics, Calgary, August 4 - 9, 2002.
	547	<u>U.S. - Russian Partnership in Prosthetics and Rehabilitation.</u> O & P News, 2002.
	255	Wallace, A.L., Harris, M., Walsh, W.R., and Bruce, Warwick J. <u>Intraoperative Assessment of Tibiofemoral Contact Stresses in Total Knee Arthroplasty.</u> <i>The Journal of Arthroplasty</i> December 1998; 13, 8, pp 923-927.
	132	Werner, F., Green, J., Fortino, M.M, Mann, K., and Short, W. <u>Evaluation of A Dynamic Intra-Articular Contact Pressure Sensing System.</u> 41st Annual Meeting, Orthopaedic Research Society 2/13/95.
	380	Wilson, D., et al. <u>Tibial Tubercle Anteromedialization Restores Patellar Force Distribution.</u> Xlth Congress of the Canadian Society of Biomechanics.
	133	Wilson, D. R., Eichler, M. J. and Hayes, W. C. <u>Accuracy Of The Iscan Pressure Measurement System.</u> 44th Annual Meeting, Research Society. Orthopaedic Biomechanics Lab., Beth Israel Deaconess Medical Center and Harvard Medical School New Orleans, LA 3/16/98.
<i>Platform Based Plantar Pressure & Gait Analysis</i>	616	Calmes, J., et al. <u>Lateral Column Lengthening for Planovalgus Deformity in Ambulatory Children with Cerebral Palsy.</u> in 9th Annual Gait and Clinical Movement Analysis Society Meeting. 2004. Lexington, KY.
	77	Castagno, P. <u>Reliability of Foot Pressure Measurements in Clinical Gait Analysis.</u> Alfred I. duPond Institute, Wilmington, DE, University of Delaware, Newark, DE.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
Platform Based Plantar Pressure & Gait Analysis	766	Chapin, Krisanne. <u>Walk of Life: Computerized gait analysis can evaluate gait deficiencies.</u> <i>Advance for Directors in Rehabilitation</i> , September 2007, pp. 39-42.
	685	Clough, James G. <u>Functional Hallux Limitus and Lesser-Metatarsal Overload.</u> <i>Journal of the American Podiatric Medical Association</i> , November/December 2006; 95, 6; pp 593-602.
	621	Ducic, I., K. Short, and A.L. Dellon, <u>Relationship Between Loss of Pedal Sensibility, Balance, and Falls in Patients With Peripheral Neuropathy.</u> <i>Annals of Plastic Surgery</i> , 2004. 52(6): p. 535-540.
	654	El-Shammaa, M.; Gryfakis, N.; Lenard, K.; Lashley, N.; Santangelo, L. D. <u>The Effect of Muscle Imbalance on Foot Pressure in Pediatric Patients.</u> Gait and Clinical Movement Analysis Society 2005, Portland, OR, USA.
	572	Hadfield, M.H., et al., <u>Effects of Medializing Calcaneal Osteotomy on Achilles Tendon Lengthening and Plantar Foot Pressures.</u> <i>Foot & Ankle International</i> , 2003. 24(7): p. 523-529.
	769	Hall, Carl. <u>Computerized Electronic Foot Pressure Analysis - What Does All This Data Mean? Part 1.</u> <i>Podiatry Management</i> , September 2007, pp. 159-166.
	770	Hall, Carl. <u>Computerized Electronic Foot Pressure Analysis - What Does All This Data Mean? Part 2.</u> <i>Podiatry Management</i> , October 2007, pp. 193-197.
	42	Henderson, J., Brown, S. E. P., B.S. and Darr, N. <u>Foot Pressures During a Common Ballet Jump in Standing and Supine Positions.</u> <i>Medical Problems of Performing Artists</i> 12/1/93; pp125-131.
	697	Hendry, TM., Scott, AT., Robertson, RN., Iaquinto, JM., Owen, JR., Byrd, WA., Wayne, JS., Adelaar, RS. <u>Analysis of Plantar Pressures in Cadaveric Feet After Corrective Procedures for Posterior Tibial Tendon Deficiency.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	757	Hinesly, Dana. <u>Walk the Walk.</u> <i>Physical Therapy Products</i> , March 2007; pp. 30 & 31.
	782	Hyer, Steve; Plank, Michael, Rodin, Andrew, Patel, Sanjeev. <u>Postural instability in postmenopausal women with Type 2 diabetes.</u> <i>Diabetic Foot Journal</i> , Winter 2007; pp.210-214.
	711	Iaquinto, J., Wayne, J. <u>Contact Gait Simulation System Recreates Regional Plantar Pressure Distributions in the Cadaveric Lower Leg.</u> 53rd Annual Meeting of the Orthopaedic Research Society. 2007. San Diego, CA.
	745	Jameson, G., Davids, J., Anderson, J., Davis, R. <u>Quantitative Analysis of Foot Function for Children with Cerebral Palsy.</u> 1st Joint ESMAC - GCMAS Meeting. 2006. Amsterdam, The Netherlands.
	679	King, M., Bowers, R., Boucher, J. <u>The Role of Foot Position in Postural Stability and Balance.</u> 53rd Annual Meeting, ACSM, Denver, Colorado 2006.
	691	Kirby, Kevin A. <u>Emerging Concepts in Podiatric Biomechanics.</u> <i>Podiatry Today</i> December 2006; pp 36-48.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
Platform Based Plantar Pressure & Gait Analysis	1028	Ko, M., L. Hughes, et al. (2010) <u>Walking Speed and Peak Plantar Pressure Distribution during Barefoot Walking in Persons with Diabetes</u> . Physical Therapy, Angelo State University. San Angelo, TX.
	45	Lavery, L. et al. <u>Is Postural Instability Exacerbated by Off-Loading Devices in High Risk Diabetics with Foot Ulcers?</u> <i>Ostomy/Wound Management</i> 1998.
	780	McKeon, Patrick and Hertel, Jay. <u>Systematic Review of Postural Control and Lateral Ankle Instability, Part II: Is Balance Training Clinically Effective?</u> <i>Journal of Athletic Training</i> 2008; pp. 305-315.
	116	Pham, H., L. A. Lavery, et al. <u>Risk Factors of Foot Ulceration in a Large Diabetic Population; Two Year Prospective Follow-Up</u> . Boston, MA, San Francisco, CA, San Antonio, TX.
	411	Rich, J. and Veves, A. <u>Forefoot and Rearfoot Plantar Pressures in Diabetic Patients: Correlation to Foot Ulceration</u> . <i>Wounds: A Compendium of Clinical Research And Practice</i> July/August 2000; 12, 4; pp 82-95.
	392	Richards, J., T. Royer, et al. <u>Changes in Heel and Forefoot Loading After Gastrocnemius Fascia Lengthening</u> . <i>Gait and Clinical Movement Analysis Society 2002</i> , Chattanooga, TN, USA.
	716	Richie, Douglas. <u>Chronic Ankle Instability: Can Orthotics Help?</u> <i>Podiatry Today</i> , October 2006; pp. 48-57.
	674	Richie, Douglas H. <u>Effects on Foot Orthoses on Patients with Chronic Ankle Instability</u> . <i>Journal of the American Podiatric Medical Association</i> January/February 2007; 97, 1; pp 19-30.
	765	Sakaguchi, K., Mehta, N., Abdallah, E., Forgione, A., Hirayama, H., Kawasaki, T., Yokoyama, A. <u>Examination of the Relationship Between Mandibular Position and Body Posture</u> . <i>The Journal of Craniomandibular Practice</i> , Vol. 25, No. 4, October 2007, pp 237-249.
	1032	Scott, G., H. B. Menz, et al. (2007). <u>Age-related differences in foot structure and function</u> . <i>Gait Posture</i> 26(1): 68-75.
	728	Srinivasan, P., Birchfield, D., Qian, G., Kidane, A. <u>A Pressure Sensing Floor for Interactive Media Applications</u> . Arizona State University, Tempe, AZ.
	781	Thériault-Proulx, M., Comtois, AS; Murphy, N; Boucher, JP. <u>Validation of MatScan Pressure Matress for Sway Analysis</u> . American College of Sports Medicine. May 2008. Indianapolis, IN.
	304	Tsai, Y. <u>The Effects of Wearing Platform Shoes on Foot Pressure in Women</u> . New York: 1999; pp 1-20.
	640	Wrobel, J. S., J. E. Connolly, et al. (2004). <u>Associations Between Static and Functional Measures of Joint Function in the Foot and Ankle</u> . <i>Journal of the American Podiatric Medical Association</i> 94(6): 535-541.
603	Wrobel, J.S., et al., <u>Do Clinical Examination Variable Predict High Plantar Pressures in the Diabetic Foot?</u> <i>Journal of the American Podiatric Medical Association</i> , 2003. 93(5): p. 367-372.	

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
Platform Based Plantar Pressure & Gait Analysis	1023	Zammit, G. V., H. B. Menz, et al. (2010). <u>Reliability of the TekScan MatScan(R) system for the measurement of plantar forces and pressures during barefoot level walking in healthy adults.</u> <i>J Foot Ankle Res</i> 3: 11.
	105	Mann, R., Y. E.K., et al. <u>Do Custom Fitted Pressure Garments Provide Adequate Pressure?</u> <i>American Burn Association</i> , Nashville, TN.
Pressure Garment Research	4	Mann, R., Yeong, E. K., Moore, M. L. and Engrav, L. H., <u>A New Tool to Measure Pressure Under Burn Garments.</u> University of Washington Burn Center, Harborview Medical Center, Seattle, WA and National Taiwan University Hospital Burn Center, Taipei, Taiwan ROC.
	811	Agrawal, V., R. Gailey, et al. (2009). <u>Symmetry in External Work (SEW): A novel method of quantifying gait differences between prosthetic feet.</u> <i>Prosthetics and Orthotics International</i> 33(2): 148-156.
Prosthetic Research	2	Buis, A. and Convery, P. <u>Calibration Problems Encountered While Monitoring Stump/Socket Interface Pressures with Force Sensing Pesistors: Techniques Adopted to Minimise Inaccuracies.</u> <i>Prosthetics and Orthotics International</i> 1996, 21, pp 179-182.
	97	Houston, V. L., Mason, C. P., LaBlanc, K. P., Beattie, A. C., Garbarini, M. A. and Lorenze, E. J. <u>Preliminary Results With The DVA-Tekscan BK Prosthetic Socket / Residual Limb Stress Measurement System.</u> New York Dept. of Veterans Affairs Medical Center and Dept. Rehab. Medicine, New York University, NY, NY; 20th Annual Meeting & Scientific Symposium, 3/23/94.
	164	Houston, V.L., Luo, G., Mason, C.P., Arena, L., Beattie, A., LaBlanc, K., and Barbarini, M. <u>FEA For Quantification of Prosthetics CAD.</u> <i>CAD/CAM Systems in Pedorthics, Prosthetics, Orthotics</i> . Dortmund, Germany, Verlag Orthopadie-Technik: 1998, pp254-276.
	772	Maurer, Jessica; Ronsky, Janet; Loitz-Ramage, B.; Anderson, M.; Zernicke, R.; Harder, James. <u>Prosthetic Socket Interface Pressures: Customized Calibration Technique for the Tekscan F-Socket System.</u> <i>2003 Summer Bioengineering Conference</i> , June 25-29, 2003.
	560	Neumann, E., J. Wong, and R. Drollinger. <u>Socket Interface Pressure and Discomfort.</u> <i>National O&P. 2003</i> . San Diego, CA.
	549	Pitkin, M., et al. <u>Biomechanical Evaluation of the Adjustment of the Prosthetic Free-Flow (Rolling Joint) Foot to Minimize the Pressure on Stump.</u> in 7th Russian National Congress. 2002. St. Petersburg, Russia.
	548	Pitkin, M., et al. <u>Biomechanics of Ice Hockey Skating in Amputees with Foot and Ankle Prostheses.</u> in 7th Annual Russian National Congress. 2002. St. Petersburg, Russia.
	146	Pitkin, M., Quesada, P.M., Colvin, J., Hays, J., and White, C. <u>Moment of Resistance in the Prosthetic Feet as Possible Predictor of Patient's Performance and Comfort.</u> 25th Academy Annual Meeting and Scientific Symposium, American Academy of Orthotists and Prosthetists 1999.
	586	Pitkin, M., et al. <u>Preliminary Biomechanical Analysis of Comfort in Standing Amputee Hockey. Comparison of Skating and Walking.</u> 2003. St. Petersburg, Russia: IPRLS, Tufts University School of Medicine, Boston MA, USA & Albrecht Center for Occupational Expertise, Prosthetics & Rehabilitation, St. Petersburg, Russia.
	686	Pitkin, M., Smirnova, L., Scherbina, K., Kurdybailo, S., Evseev, S., Maslov, N. <u>Pressure Measurements on Amputee's Residuum in Classification for Standing Ice Hockey.</u> <i>In: The Bulletin of the International Council of Sport Science and Physical Education (ICSSPE)</i> September 2005.
370	Polliack, A. A., Sieh, R.C., Craig, D.D., Landsberger, S., Mcneil, D.R., and Ayyappa, E. <u>Scientific Validation of Two Commercial Pressure Sensor Systems for Prosthetic Socket Fit.</u> <i>Prosthetics and Orthotics International</i> 2000; 24; pp 63-73.	

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
Prosthetic Research	118	Polliack, A.A., Landsberger, S., and McNeal, D.R. <u>Scientific Characterization of the Rincoe Socket and Tekscan F-Socket Interface Pressure Measurement Systems: Implications for Clinical Utility.</u> Rancho Los Amigos Medical Center, Downey, CA 1998.
	316	Schmid, M., Zambarbieri, D. and Verni, G. <u>The Pattern of Centre of Pressure During Walking in Lower Limb Amputee Subjects Budrio.</u> Universita degli Studi di Pavia, Budrio, Italy 2.
	383	Silver-Thorn, B., Steege, J.W., and Childress, D.S. <u>A Review of Prosthetic Stress Investigations.</u> <i>Journal of Rehabilitation Research and Development</i> July 1996; 33, 3; pp 253-266.
	730	Zelle, J., Barink, M., Loeffen, R., De Waal Malefijt, M., Verdonschot, N. <u>Thigh-Calf Contact Force Measurements in Deep Knee Flexion.</u> 2007. Orthopaedic Research Laboratory, The Netherlands.
Seating Systems	605	Andreoni, G., A. Pedotti, and M. Ferrarin, <u>Pressure Distribution on Wheelchair Cushions in Static Sitting and During Manual Propulsion.</u> <i>Journal of Mechanics in Medicine and Biology</i> , 2001. 1(1): p. 33-44.
	448	Anwar, R., Ezra, A., Jacknow, L. <u>Treating Decubitus Ulcers in Wheelchair Users.</u> 2001; pp 24-25.
	687	Bury, Elisha. <u>Navigating the Pressure Gradient.</u> <i>Mobility Management</i> November 2006; 5, 11; pp 14-24.
	767	Carlson, Ann. <u>Relieving Pressure.</u> <i>Rehab Management</i> , October 2007, pp. 28-32.
	35	Ferguson-Pell, M. Cardi, M. <u>Pressure Mapping Systems.</u> Center for Rehabilitation Technology, Helen Hayes Hospital, NY. Team Rehab Report 1993; pp28-32.
	36	Ferguson-Pell, M. Cardi, M. <u>Prototype Development and Comparative Evaluation of Wheelchair Pressure Mapping System.</u> Center for Rehabilitation Technology, Helen Hayes Hospital, West Haverstraw, NY. 1993; pp 78-91
	759	Ferguson-Pell, M., Nicholson, G., Bain, D., Call, E., Grady, J., deVries, J. <u>The Role of Wheelchair Seating Standards in Determining Clinical Practices and Funding Policy.</u> RESNA. 17(1).
	623	Gutierrez, E., et al., <u>Measuring seating pressure, area, and asymmetry in persons with spinal cord injury.</u> <i>European Spine Journal</i> , 2003.
	824	Hanson, D. L., Diane; Anderson, Julie; Thompson, Pat; Hunter, Susan (2009). "Can pressure mapping prevent ulcers?" <i>Nursing</i> 2009: 50-51.
	41	Henderson , J., Price, S., Brandstater, M. and Mandac, B. <u>Efficacy of Three Measures to Relieve Pressure in Seated Persons With Spinal Cord Injury.</u> <i>Archives Physical Medicine Rehabilitation</i> 5/1/94; 75, pp 535-539.
367	Inagaki, H., T. Taguchi, et al. <u>Evaluation of Riding Comfort: From the Viewpoint of Interaction of Human Body and Seat for Static, Dynamic, Long Time Driving.</u> <i>SAE Technical Paper Series; 2000-01-0643</i> ; pp 1-5.	

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
Seating Systems	47	Lee, Y. L. and Lau, M. W. Y. <u>Evaluation of Static and Dynamic Pressure Relieving Intervention in Seated Persons with Spinal Cord Injury</u> . Dept. of Orthopedic & Traumatology, Prince of Wales Hospital, Shatin, The Chinese University of Hong Kong, Hong Kong, Occupational Therapy Department. International Conference on Biomedical Engineering, Hong Kong June 3-5, 1996; 91-
	692	Martucci, Nancy. <u>An Ounce of Prevention</u> . <i>Rehab Management</i> , December 2006; pp. 36-39.
	870	O'Rourke, Judy. <u>Q & A with Lauren E. Rosen, PT, MPT, MSMS, ATP: Tips for Choosing the Optimal Wheelchair Cushion For Clients with Mobility Impairments</u> . <i>Rehab Management</i> , October 2010; pp. 26-29.
	471	Palfy, T. and D. Foam. <u>Finding the Comfort Zone through Pressure-Mat Testing of Seat Cushions</u> . <i>Urethanes Technology</i> , April/May 2001; pp 29-31.
	669	Parkinson, Matthew B.; Chaffin, Don B.; Reed, Matthew P. <u>Balance Maintenance in Normal Seated Research</u> . University of Michigan.
	9	Podoloff, R. M. <u>Automotive Seating Analysis using Thin, Flexible Tactile Sensor Arrays</u> . 10/26/92.
	56	Ragavan, R., Benoit, P. and Ohanna, F. <u>Clinical Applications of Real-Time Measurements of Seating Pressures Among Spinal Cord Injury Patients</u> . <i>Centre Propara (Spinal Unit)</i> .
	760	Smith, Rich. <u>Devising a System: New Tools Help Therapists Find Solutions</u> . <i>Rehab Management</i> , March 2008; pp. 10-15.
	729	Takeda, M., Furusawa, K. <u>Measurement of Pressure Relief Positions in Seated Persons with Spinal Cord Injury</u> . World Physical Therapy, June 2007. Vancouver, Canada.
	General/ Educational	520
584		D'Amico, J., <u>What Lies Beneath?</u> <i>OrthoKinetic Review</i> , September/October 2003: p. 18-19.
597		<u>Preventive Foot Care in Diabetes</u> . <i>Diabetes Care</i> , 2004. 27(1): p. S63-S64.
530		Murphy, Norman, Ph.D. <u>Tekscan: More Than Ever Meeting Customer Needs and Market Demands in Pressure Measurement, Foot Function Assessment, and Gait Analysis</u> . <i>Podiatry Management</i> , October 2002; p. 124.
575		Smith, R., <u>The Case for Space</u> . <i>OrthoKinetic Review</i> , July/August 2003: p. 10 - 14.
642		Vasquez, J. <u>Pedorthics & The Golfer's Foot: Ino Shoe, Over Ground, During Swing</u> . <i>Current Pedorthics</i> , December 2004 - January 2005; 38: p.12-14.

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>General/ Educational</i>	334	Williams, M. <u>Grace Under Pressure: An Introduction To Pressure Mapping</u> . ACPOC News The Bulletin of the Association of Children's Prosthetic/Orthotic Clinics6, 2, June 2000; pp 1,6-7, 9,12.
	758	Wrobel, James S. <u>Practitioners Innovate for Foot Ulcer Prevention Strategy</u> . <i>BioMechanics</i> , March 2007; pp. 49-57.
<i>Animal Studies</i>	194	Barber, D., Arnold, W., Song, Y., Felt, J. and Martin, T. <u>Gait Analysis for Assessment of Loading in the Ovine Model: Test Method Development</u> . Orthopaedic Reseach Society 46th Annual Meeting, Orlando, FL, March 12-15, 2000; p 0472.
	666	Besancon, M.F.; Conzemius M. G.; Derrick, T. R.; Ritter, M. J. <u>Comparison of Vertical Forces in Normal Dogs Between the AMTI Model OR6-5 Force Platform and the Tekscan (I-Scan Pressure Measurement System) Pressure Walkway</u> . Iowa State University; Departments of Veterinary Clinical Sciences and School of Health and Human Performance.
	774	Boyd, Benjamin; Puttlitz, Christian; Noble-Haeusslin, Linda; John, Constance; Trivedi, Alpa; Topp, Kimberly. <u>Deviations in Gait Pattern in Experimental Models of Hindlimb Paresis Shown by a Novel Pressure Mapping System</u> . <i>Journal of Neuroscience Research</i> , May 2007, pp. 2272-2283.
	272	Carter, Judy E., Galuppo, Larry D. <u>An In Shoe Pressure Measurement System for the Evaluation of Lameness in Horses</u> . <i>Veterinary Medical Teaching Hospital</i> 2000, pp 1-3.
	531	Carter, Judy., DVM, et al., <u>Evaluation of an in-shoe pressure measurement system in horses</u> . <i>AJVR</i> , 2001. 62(1): p. 23-28.
	670	Carvalho, V. R. C.; Bucklin, R. A.; Shearer, J. K.; Shearer, L. <u>Effects of Trimming on Dairy Cattle Hoof Weight Bearing and Pressure Distributions During the Stance Phase</u> . <i>American Society of Agricultural Engineers</i> , June 2005, Vol. 48(4), pp 1653-1659.
	447	Franks, J. N., H. W. Boothe, et al. (2000). <u>Evaluation of Transdermal Fentanyl Patches for Analgesia in Cats Undergoing Onychectomy</u> . <i>JAVMA</i> 2000, 217, 7; pp 1013-1018.
	717	Galuppo, Larry D., Stover, Susan M., Jensen, David G. <u>A Biomechanical Comparison of Equine Third Metacarpal Condylar Bone Fragment Compression and Screw Pushout Strength Between Headless Tapered Variable Pitch and AO Cortical Bone Screws</u> . <i>The American College of Veterinary Surgeons</i> ; 31:201-210, 2002.
	894	Gillette, Robert L., et al. <u>Recent Developments in Canine Locomotar Analysis: A Review</u> . <i>The Veterinary Journal</i> , January 2008; 178: 165-176
	641	Hood, D.M., Taylor, D., and Wagner, I.P. <u>Effects of Ground Surface Deformability, Trimming, and Shoeing on Quasistatic Hoof Loading Patterns in Horses</u> . <i>AJVR</i> , June2001; 62(6): p.895-900
	1021	Kim, J. and G. J. Breur (2008). <u>Temporospatial and kinetic characteristics of sheep walking on a pressure sensing walkway</u> . <i>Can J Vet Res</i> 72(1): 50-55.
718	Lascalles, D., Findley, K., Correa, M., Marcellin-Little, D., Roe, S. <u>Kinetic Evaluation of Normal Walking and Jumping in Cats, using a Pressure-Sensitive Walkway</u> . <i>The Veterinary Record</i> , April 14, 2007; 160, 512-516.	
689	Lascalles, D., Roe, S., Smith, E., Reynolds, L., Markham, J., Marcellin-Little, D., Bergh, M., Budsberg, S. <u>Evaluation of a Pressure Walkway System for Measurement of Vertical Limb Forces in Clinically Normal Dogs</u> . <i>AJVR - American Journal of Veterinary Research</i> , February 2006; 67(2): pp. 277-282.	

<u>Topic</u>	<u>No.</u>	<u>Paper</u>
<i>Animal Studies</i>	624	Lessiter, F. (2004). <u>Computerized Hoof Analysis Offers Instant Look at Footcare Worries</u> . <i>American Farriers Journal</i> 30(5): 20-22.
	613	von Lewinski, G., et al. <u>Effect of Pre-Tensioning of Meniscal Transplants on the Tibiofemoral Contact Area</u> . in 50th Annual Meeting of the Orthopaedic Research Society. 2004. San Francisco, CA.
	676	Winslow, Susan. <u>New Research Provides Insight Into the Physics of Horseshoeing</u> . <i>Equine Journal</i> , August 2006, pp 138-141.
<i>Ergonomics</i>	555	Hooper, R.H. and G.R. Jones, <u>Are Interface pressure measurements a true reflection of skin contact pressure when made over diferent layers of clothing?</u> Loughborough University, Dept Human Services, 2003.
	872	Kim, S. E. A., Pozzi; Banks, Scott; Conrad, Bryan; Lewis, Daniel D. (2009). <u>Effect of Tibial Plateau Leveling Osteotomy on Femorotibial Contact Mechanics and Stifle Kinematics</u> . <i>Veterinary Surgery</i> , 38: pp. 23-32.
	606	Macias, B.R., H. Chambers, and G. Murthy. <u>Loaded Backpacks May Pose a Serious Health Risk to School Children</u> . in 50th Annual Meeting of the Orthopaedic Research Society. 2004. San Francisco, CA.
	893	Mastalerz, A., E. Nowak, I. Palczewska, and E. Kalka. <u>Maximal Grip Force During Holding A Cylindrical Handle with Different Diameters</u> . <i>Human Movement</i> , 2009, pp 26-30.
<i>Misc. Applications</i>	683	Romano, M., Carabalona, R., Petrilli, S., Sibilla, P., Negrini, S. <u>Forces Exerted during Exercise by Patients with Adolescent Idiopathic Scoliosis wearing Fiberglass Braces</u> . <i>Scoliosis Journal</i> July 2006; 1:12.
<i>Tekscan in the News</i>	668	Goldman, Michael. <u>Broadcast Science: Cost effective Workflow Options for HD, Mo-cap, and CG. Millimeter</u> , November 2005, pp 12-20.